

# India Meteorological Department FDP STORM Bulletin No.102 (15-06-2017)

# 1. CURRENT SYNOPTIC SITUATION at 0300UTC of the Day:

The Northern Limit of Monsoon (NLM) continues to pass through Lat. 20.5°N / Long. 60.0°E, Lat 20.5°N/Long 70.0°E, Valsad, Nasik, Parbhani, Adilabad, Jagdalpur, Bhawanipatna, Chandbali , Digha, Kolkata, Krishnanagar, Darjeeling and Lat 27.4°N/ Long 87.7°E.

Conditions are likely to become favourable for further advance of southwest monsoon into some more parts of Gujarat region, Madhya Maharashtra, remaining parts of Marathwada, some parts of Vidarbha, some more parts of Chhattisgarh, Odisha, remaining parts of West Bengal and some parts of Jharkhand and Bihar after 3-4 days.

The trough at mean sea level from Punjab to Assam now runs from Punjab to northwest Bay of Bengal across Haryana, Uttar Pradesh, Jharkhand & north Gangetic West Bengal. However, the embedded upper air cyclonic circulation over southwest Bihar & neighbourhood extending upto 1.5 km above mean sea level has become less marked. The upper air cyclonic circulation over central parts of Assam & neighbourhood extending upto 0.9 km above mean sea level also has become less marked.

The upper air cyclonic circulation over south coastal Odisha & neighbourhood now lies over northwest and adjoining west central Bay of Bengal off south Odisha and north Andhra Pradesh coast between 3.1 and 9.5 km above mean sea level. The trough from this cyclonic circulation to south Konkan now seen as an east west shear zone roughly along latitude 17.0° N.

The trough from eastern parts of Bihar to south coastal Odisha now runs from eastern parts of Bihar to northwest Bay of Bengal between 1.5 & 2.1 km above mean sea level.

An upper air cyclonic circulation lies over Southwest Bihar & neighbourhood and extends upto 0.9 km above mean sea level.

The off shore trough off Karnataka Kerala coast persists.

The upper air cyclonic circulation over central Pakistan & adjoining West Rajasthan has become less marked.

# SATELLITE OBSERVATIONS during past 24hrs and current observation:

## Current Observation (based on 0300UTC imagery of INSAT 3D):

### WESTERN DISTURBANCE (WD):

Scattered multi-layered clouds were seen over J & K, Himachal Pradesh, North Punjab, Tibet adjoining China and area between Lat 37.0N to 47.0N, Long 70.0E to 90.0E in association with WD over the area.

#### **Cloud Description:**

Scattered low/medium clouds with embedded moderate to intense convection were seen over Telangana and, Coastal Andhra Pradesh. Scattered low/medium clouds with embedded isolated weak to moderate convection were seen over South Chhattisgarh, Odisha, Coastal Gangetic West Bengal, Bihar, Sub Himalayan West Bengal, Arunachal Pradesh, Northeast Assam, Northeast Rajasthan, East Madhya Pradesh, Maharashtra, Rayalaseema, Karnataka, Tamilnadu and Kerala.

Scattered low/medium clouds were seen over Uttarakhand, Uttar Pradesh, West Madhya Pradesh, Gujarat and rest parts of the country. **Arabian Sea:** Scattered low/medium clouds with embedded isolated weak to moderate convection were seen over EC Arabian Sea.

#### Bay of Bengal & Andaman Sea:

Broken low/medium clouds with embedded intense to very intense convection were seen over WC & N Bay. Scattered low/medium clouds with embedded moderate to intense convection were seen over EC Bay & South Andaman Sea.

# Past Weather:

#### Convection:-

Moderate to Intense convection was observed over J&K Himachal Pradesh Punjab South Haryana North-West Rajasthan North-East Uttar Pradesh Bihar Jharkhand West Bengal North East States Chhattisgarh Madhya Pradesh Maharashtra Telangana Andhra Pradesh Karnataka Kerala Tamilnadu.

### OLR:-

Upto **200** wm<sup>-2</sup> was observed over Central West Bengal Coastal Odisha Coastal Andhra Pradesh Kerala Tamilnadu.

Upto **230** wm<sup>-2</sup> was observed over J&K Maharashtra North Karnataka Rest Andhra Pradesh Telangana East Bihar Meghalaya Arunachal Pradesh West Bengal South Jharkhand.

Upto **250** wm<sup>-2</sup> was observed over Himachal Pradesh South Haryana Chhattisgarh South Madhya Pradesh Rest North East States.

Westerly Trough & Jet-Stream: No Westerly trough and No Jet Stream observed over India.

### **Dynamic Features:**

Medium to High wind shear is observed over North & South India and Low wind shear is observed over Central India.

Negative shear tendency is observed over South India and Positive shear tendency is observed over rest India.

A Positive Vorticity field is observed over Uttarakhand Uttar Pradesh Bihar Jharkhand and North coastal Andhra Pradesh.

Negative low level convergence is observed over East Gujarat South West Madhya Pradesh Coastal Karnataka Kerala and Positive low level convergence observed over rest parts of India,

## Precipitation:

### IMR:

Rainfall from **90** mm was observed over North-East Jharkhand North-East Odisha North Coastal Andhra Pradesh. Rainfall from **70** mm was observed over South-East Bihar South Odisha Central West Bengal. Rainfall Up to **30** mm was observed over North-East Uttar Pradesh East Meghalaya North Madhya Maharashtra Tamilnadu.

Rainfall Up to **10** mm was observed over J&K South Punjab North-West Rajasthan South Haryana Rest Bihar Rest West Bengal East Meghalaya North Assam Rest Jharkhand South Chhattisgarh South-West Madhya Pradesh Rest Maharashtra Karnataka Telangana Rest Andhra Pradesh Kerala .

#### HEM:

Rainfall Up to **70** mm was observed over North-East Jharkhand North-East Odisha North Coastal Andhra Pradesh.

Rainfall Up to 14 mm was observed over North-East Uttar Pradesh South-East Bihar North Madhya Maharashtra Kerala Tamilnadu..

Rainfall Up to **07** mm was observed over South-West J&K Punjab North-West Himachal Pradesh North-West Rajasthan South Haryana Rest Bihar Rest Jharkhand Rest West Bengal Meghalaya Assam Arunachal Pradesh Nagaland South Chhattisgarh South- Madhya Pradesh Rest Maharashtra Karnataka Telangana Rest Andhra Pradesh.

### **RADAR and RAPID Observation:**

DWR Composite at 1240hrs IST indicated strong convection over Southeast Bihar, Northeast Jharkhand and adjoining Gangetic West Bengal and significant convection over Central Odisha, Telangana and North coastal Andhra Pradesh.

RAPID RGB Satellite imagery at 1100hrs IST indicated significant convective clouds over Punjab, West Uttar Pradesh, Bihar, Jharkhand, Coastal Odisha, Telangana and North coastal Andhra Pradesh.

### Environmental condition (dust etc) and its forecast based on 00UTC of date:

Higher Dust concentration was observed over north Africa. Dust concentration is expected to increase over north India for next five days. High PM10 concentration was observed over western part of the country and Pakistan; it is expected to increase over north India and IGP in the next five days.

# 2. NWP MODEL GUIDANCE:

# NCMRWF (NCUM Forecasts based on 00 UTC of the day):-

#### 1. Weather Systems:

**12UTC Charts of Day 0-4** show heat low over NW India and adjoining Pakistan with MSLP values lower than 990hPa. In day 3-4 the area extends over Rajasthan to Bihar across Haryana, Uttar Pradesh.

**12UTC charts on days from Day 0-1:** show a zone of wind discontinuity at 925 hPa; SW-NE extending from Madhya Pradesh to Jharkhand/Bihar

**12 UTC charts in Day 0-1:** Feeble Western Disturbance is seen over eastern parts of J&K and Himachal Pradesh. System moves eastward and gets deeper in Day 2.

00UTC charts in Day 1-3: Offshore trough off Maharashtra/Karnataka coast moving towards off Gujarat coast in Day 4-5

2. Location of jet and jet core at 500hPa:-500hPa Jet core (>60kt): Weaker core winds at 12 UTC on all days over India.

### 3. Convergence at 850 hPa:

Day0: Punjab,

Day1: Assam Meghalaya,

Day2: Assam Meghalaya,

Day3: Assam Meghalaya, Day4: Nil

## 4. Low level Vorticity:-Positive Vorticity (>15 x 10<sup>-5</sup>/s):

### (Day/Index: Subdivisions with Lower Level Vortex > 15 x 10^-5 /s):

Day0: Arunachal Pradesh, Assam Meghalaya, Himachal Pradesh, TN Puducherry,

Day1: Assam Meghalaya, NE NMMT, TN Puducherry,

Day2: Assam Meghalaya, NE NMMT, Uttarakhand, Himachal Pradesh, TN Puducherry, Kerala,

Day3: Assam Meghalaya, Uttarakhand, Himachal Pradesh, TN Puducherry, Kerala,

Day4: Assam Meghalaya, Sub Himalayan WB, Bihar, Uttarakhand, Himachal Pradesh, TN Puducherry

#### 5. Showalter Index: -3 to -4[Very unstable]: (Day/Index: Subdivisions with Showalter Index < -4):

Day0: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, West MP, Gujarat region, Saurashtra Kutch, Madhya Maharashtra, Marathwada, Vidarbha, Chhattisgarh, Coastal AP, Telangana, TN Puducherry,

Day1: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, West MP, East MP, Gujarat region, Saurashtra Kutch, Madhya Maharashtra, Marathwada, Vidarbha, Chhattisgarh, Telangana,

Day2: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, West MP, East MP, Saurashtra Kutch, Vidarbha, Chhattisgarh, Coastal AP,

Day3: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, Odisha, West MP, East MP, Saurashtra Kutch, Chhattisgarh, Day4: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, West MP, East MP, East MP, Saurashtra Kutch, Madhya Maharashtra, Chhattisgarh, Coastal AP

6. K-Index :> 35[Very Unstable thunderstorm likely]: (Day/Index: Subdivisions with K Index > 40):

Day0: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, West MP, East MP, Gujarat region, Madhya Maharashtra, Marathwada, Vidarbha, Chhattisgarh, Telangana, Rayalaseema, TN Puducherry, NI Karnataka, SI Karnataka,

Day1: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, West MP, East MP, Saurashtra Kutch, Madhya Maharashtra, Marathwada, Vidarbha, Chhattisgarh, Telangana, NI Karnataka,

Day2: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, West MP, East MP, Madhya Maharashtra, Vidarbha, Chhattisgarh,

Day3: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, East Rajasthan, Odisha, West MP, East MP, Gujarat region, Marathwada, Vidarbha, Chhattisgarh, TN Puducherry,

Day4: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, East Rajasthan, Odisha, West MP, East MP, Gujarat region, Saurashtra Kutch, Madhya Maharashtra, Marathwada, Vidarbha, Chhattisgarh, Coastal AP, Telangana, Rayalaseema, TN Puducherry, NI Karnataka, SI Karnataka

7. Spatial distribution of TTI (TTI >50 [Scattered Thunderstorms few severe): (Day/Index: Subdivision with Total Totals Index > 52): Day0: Arunachal Pradesh, Sub Himalayan WB, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, West MP, Gujarat region, Saurashtra Kutch,

Day1: Arunachal Pradesh, Sub Himalayan WB, East UP, West UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, West MP, Gujarat region, Saurashtra Kutch,

Day2: Arunachal Pradesh, Sub Himalayan WB, Uttarakhand, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan,

Day3: Arunachal Pradesh, Sub Himalayan WB, Uttarakhand, Punjab, Himachal Pradesh, Jammu Kashmir,

Day4: Arunachal Pradesh, Sub Himalayan WB, Jharkhand, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan

### 8. Rainfall and thunder storm activity: (Day/Index: Subdivisions with Precipitation > 2 cm):

Day1: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Bihar, Haryana, Chandigarh, Delhi, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, Konkan Goa, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal AP, Telangana, Rayalaseema, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka, Kerala,

Day2: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Gangetic WB, West UP, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West Rajasthan, East Rajasthan, Odisha, Konkan Goa, Madhya Maharashtra, Vidarbha, Chhattisgarh, Telangana, TN Puducherry, Coastal Karnataka, SI Karnataka, Kerala,

Day3: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Bihar, West UP, Uttarakhand, Haryana, Chandigarh, Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, Konkan Goa, Madhya Maharashtra, Coastal Karnataka, NI Karnataka, SI Karnataka, Kerala,

Day4: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Bihar, Punjab, Himachal Pradesh, Jammu Kashmir, Gujarat region, Konkan Goa, Madhya Maharashtra, Coastal Karnataka, NI Karnataka, SI Karnataka, Kerala,

## IMD GFS (T1534) based on 00UTC the day:-

#### 1. Weather Systems:

The analysis based on 00 UTC shows a trough at mean sea level from Punjab to west Assam and adjoining areas. Forecasts show the persistence of the trough for all the 5 days and thereby extending along Bihar to GWB and adjoining areas.

Location of jet and jet core at 500 hPa:-500 hPa Jet core (>60kt): No presence of jet core over the Indian region for the next 5 days.
Low level Vorticity:-Positive Vorticity 850hPa (>12 x 10<sup>-1</sup>/s):

The high vorticity belts are mainly over Punjab, UP, Haryana, Gangetic plains, foot hills of Himalaya, parts of Central India, south peninsula along with isolated pockets over the east coast region.

4. Spatial distribution of T-Storm Initiation Index, Lifted Index, Total Total Index, CAPE, CINE and Sweat Index (High potential for thunderstorm):

**T-Storm Initiation Index (>4):** Above threshold values are mostly over Gujarat and Rajasthan and over isolated pockets of Bihar, GWB and Odisha Coast during next 5 days.

Lifted Index (< -2): Less than threshold value over most parts of the country except J&K, HP, Uttarakhand, UP, parts of central India, NE states and over major parts of the south peninsula during next 5 days.

Total Total Index (> 50): Greater than threshold value over northwest India Delhi, parts of MP and adjoining central India during next 5 days.

Sweat Index (>300): Higher than threshold value almost all over the country except parts of NW India and isolated pockets over Delhi, UP, Bihar, MP and isolated pockets in the South peninsula.

CAPE (> 1000): Mostly over parts of Rajasthan, Gujarat, central parts of India, West Bengal, Bihar, isolated pockets of Odisha and regions bordering the east coast of the county.

CIN (50-150): Mostly all over the country except J&K, NE states and isolated pockets over the south peninsula region.

#### 5. Rainfall and thunderstorm activity:

20-70 mm rainfall over major regions of Maharashtra, the east coast and west coast and over major regions of the NE states during the next 5 days. 20-70 mm rainfall over parts of Maharashtra, GWB, Odisha, Chhattisgarh and isolated pockets of coastal Andhra Pradesh during next 5 days.

40-70 mm rainfall and more over SHWB, NE states, GWB, Konkan coast, Vidarbha and along the foothills of the Himalayas during the next 5 days.

### IMD WRF (based on 00UTC of the day):

#### 1. Model Reflectivity (Max. dBz):

15-35 dBZ Model reflectivity over AP, Odisha, GWB and over NE states during next 24 hours and over isolated pockets of SHWB, foothills of the Himalayas, Telangana and NE states on day2 and day3.

2. Spatial distribution of Total Index, K-Index, CAPE and CIN [High potential for thunderstorm]:

**Total Total Index (> 50):** Above threshold value over major regions of northwest and central parts of India, Gangetic plain and isolated pockets over the east coast during next 72 hours.

K-Index (> 35): Less than threshold value over the entire country during the next 72 hours.

CAPE (> 1000): Mostly over the foothills of the Himalayas, Gujarat, central India, east UP, Bihar, NE states and major regions bordering the east coast of the country during next 3 days.

CIN (50-150): Over north west parts of India, east UP, Bihar, parts of central India and south peninsula during next three days.

#### 3. Rainfall and thunderstorm activity:

70-130 mm and more: over SHWB, NE states, Konkan Coast and isolated pockets of Maharashtra and adjoining areas for the next 72 hours.

20-70 mm: over the foothills of the Himalayas, NE states, west coast, Odisha coast, and parts of Central India for the next 72 hours.

# 3. IOP ADVISORY FOR 24 and 48Hrs:

### **Summary and Conclusions:**

# Day-1 & Day-2:

In association with the upper air cyclonic circulation off south Odisha and north Andhra Pradesh coast in middle troposphere, and the eastwest shear zone extending from the system, west upto Konkan coast, thunderstorm activity accompanied by rainfall is expected over central India on day 1 and 2. There is also a trough from eastern parts of Bihar to northwest Bay of Bengal in lower troposphere as well as an upper air cyclonic circulation over Southwest Bihar & neighbourhood, and this is likely to keep the main rainfall zone over east and Northeast India on day 1 and 2. The off shore trough off Karnataka Kerala coast persists and the associated rainfall along the west coast is also likely to persist on day 1 and 2. Although the upper air cyclonic circulation over central Pakistan & adjoining West Rajasthan has become less marked, localized thunderstorm activity is likely to continue on day 1 over the Northwest Indian region.

#### 24 hour Advisory for IOP:

Coastal Andhra Pradesh, Coastal Odisha Telangana, Coastal Karnataka, Konkan and Goa Assam, Meghalaya, Nagaland, Manipur, Mizoram and Tripura Himachal Pradesh, Uttarakhand Uttar Pradesh, Punjab, Haryana, Delhi Chhattisgarh, Marathwada, Vidarbha, Madhya Maharashtra, Entire Madhya Pradesh, Bihar, Jharkhand, Interior Odisha, Interior Odisha, West Gangetic West Bengal

#### 48 hour Advisory for IOP:

Assam, Meghalaya, Nagaland, Manipur, Mizoram and Tripura North Interior Karnataka, Telangana, Vidarbha Coastal Andhra Pradesh, Coastal Odisha Marathwada, Madhya Maharashtra Uttarakhand, Uttar Pradesh,

For NCMRWF NWP products:( <u>http://www.ncmrwf.gov.in/HomePage/NEPS-prod-1.php</u> ) For IMD NWP products:( <u>http://nwp.imd.gov.in/diagpro_new.php</u> )
For Synoptic plotted data and charts
http://amssdelhi.gov.in/
http://www.amsskolkata.gov.in/
For RAPID tool:
http://rapid.imd.gov.in/
Low Level Winds
http://satellite.imd.gov.in/archive/INSAT-3D-IMAGER/3D-PRODUCTS/AMV/LLW/MAR 2017/?C=M;O=D
Upper level winds
http://satellite.imd.gov.in/archive/INSAT-3D-IMAGER/3D-PRODUCTS/AMV/HLW/MAR 2017/?C=M;O=D
Past24hourHEMandIMRrainfall(upto03UTCoftoday)
IMR: http://satellite.imd.gov.in/img/3Ddaily imr.jpg
HEM: http://satellite.imd.gov.in/img/3Ddaily he.jpg
ForRadarimagesofthepast24hoursincludingmosaicofimages:
http://ddgmui.imd.gov.in/dwr img/
Satellite sounder based T- Phigram
http://satellite.imd.gov.in/map skm2.html













# Realised past 24hrs TS/SQ/HS Data (reported at 0300UTC of the day):

Realized weather past 24hours (Based on SYNERGIE Products)								
Date	Time of Reporting	Name of Station Reporting	Region	STATE	Weather Event			
14-06-17	0600UTC	Nil	Nil	Nil	Nil			
		Bhaderwah, Pahalgam/ Sundernagar	NW India	J & K/ Himachal Pradesh	Thunderstorm			
14-06-17	0900010	Pendra Road	C India	Chhattisgarh	Thunderstorm			
		Kupwara/ Churu/ Agra	NW India	J & K/ Rajasthan/ Uttar Pradesh	Thunderstorm			
		Panagarh, Kolkata	E India	West Bengal	Thunderstorm			
		Chandbali, Bhubaneswar	E India	Odisha	Thunderstorm			
14-06-17	1200UTC	Indore	C India	Madhya Pradesh	Thunderstorm			
		Nasik, Pune	W India	Maharashtra	Thunderstorm			
		Machilipatnam, Bapatla	S India	Andhra Pradesh	Thunderstorm			
		Cuddalore, Madurai	S India	Tamilnadu	Thunderstorm			
		Churu, Bikaner	NW India	Rajasthan	Lightening			
		Bankura	E India	West Bengal	Thunderstorm			
		Indore	C India	Madhya Pradesh	Thunderstorm			
14-06-17	1500UTC	Bhubaneswar	E India	Odisha				
		Pune	W India	Maharashtra	Thunderstorm			
		Vijayawada, Machilipatnam	S India	Andhra Pradesh	Thunderstorm			
		Adiramapatinam	S India	Tamilnadu	Thunderstorm			
	1800UTC	Churu	NW India	Rajasthan	Thunderstorm			
14-06-17		Guna	C India	Madhya Pradesh	Thunderstorm			
		Chandbali, Bhubaneswar, Puri	E India	Odisha	Thunderstorm			
14-06-17	2100UTC	Gorakhpur	NW India	Uttar Pradesh	Thunderstorm			
		Banihal, Jammu	NW India	J&K	Thunderstorm			
15-06-17		North Lakhimpur	NE India	Assam	Thunderstorm			
	0000UTC	Jaipur	NW India	Rajasthan	Thunderstorm			
		Patna	E India	Bihar	Thunderstorm			
		Narsapur, Machilipatnam	S India	Andhra Pradesh	Thunderstorm			
		Jammu	NW India	J&K	Thunderstorm			
15-06-17	0300UTC	Amritsar	NW India	Punjab	Thunderstorm			
		Sundernagar, Shimla	NW India	Himachal Pradesh	Thunderstorm			

# Past 24 hours DWR Report:

Radar Station Name	Date	Time Interval of Observati on (UTC)	Organisation of cells (Isolated single cells/multiple cells/convective regions /squall lines) with height of 20 dBZ echo top and maximum reflectivity	Formation w.r.t. radar station and Direction of movement	Remarks	Associated Severe Weather if any	Districts affected
Karaikal	14.06.17	1.0730Z- 1730Z	1) cluster of cells in NW direction 150 km range with max reflectivity of 95dBz and Average height of 12 km.	1.Moving in SEly direction	1.Cells started forming at 1312 IST and dissipated at 2312 IST	N/A	N/A
		2.0830Z- 1802Z	2) cluster of cells in SW direction 200 km range with max reflectivity of 95dBz and Average height of 12 km.	2. <b>Moving t</b> owards NEly Direction	2.Cells started forming at 1312 IST and dissipated at 2312 IST		
		3.1732Z- 2030Z	3). Isolated cell at 150 km range in E direction with max reflectivity 75dBz average height of 8 km	3.moving in Ely direction	3. cell started forming at 2232 IST and dissipated at 0152 IST		
	1506.17			Nil			
Jaipur	14.06.17	0652- 1352 UTC	Multiple cell with average height of 6.0 km & maximum reflectivity 53.0 dBZ	Multiple cell develop to before 0652 UTC of 14/06/2017 towards North-East of Jaipur and moved to East Wards at speed 25-30 km/hr	Cell starts forming from before to 0652 of 14/06/2017 at NE of Jaipur and reaches maximum reflectivity during 0932-1022 UTC.	Thunderstorm/ rain at isolate places	Alwar, Bharatpur , Dholpur, Dausa, Karauli
	14.06.17	0732- 1132	Multiple cell with average height of 4.0 km & maximum reflectivity 50.0 dBZ	Multiple cell develop to 0732 UTC of 14/06/2017 towards South-East of Jaipur and moved to South- East Wards at speed 30-35 km/hr	Cell starts forming from before to 0732 of 14/06/2017 at South-East of Jaipur and reaches maximum reflectivity during 0922-1022 UTC.	Thunderstorm/ rain at isolate places	Baran, Jhalawar
	14.06.17	0942- 1502	Multiple cell with average height of 5.0 km & maximum reflectivity 51.5 dBZ	Multiple cell develop to 0942 UTC of 14/06/2017 towards NNW &N of Jaipur and moved to E Wards at speed 20-25 km/hr	Cell starts forming from before to 0942 of 14/06/2017 at N NW &N of Jaipur and reaches maximum reflectivity during 1132-1142 UTC.	Thunderstorm/ rain at isolate places	Churu, Jhunjhun u Sikar, Alwar
	15.06.17	2102- 0012	Multiple cell with average height of 6.0 km & maximum reflectivity 50.0 dBZ	Multiple cell develop to 2102 UTC of 15/06/2017 towards NW of Jaipur and moved to E,SE Wards at speed 30-35 km/hr	Cell starts forming from before to 2102-Continue of 15/06/2017 at E, SE of Jaipur and reaches maximum reflectivity during 0102-0252 UTC (continue).	Thunderstorm/ rain at isolate places	Sawaima dhopur Jaipur, Tonk, Sikar Dausa

Radar Station name	Date	Time interval of observa tion (UTC)	Organization of the cells (Isolated single cells/multiple cells/ convective regions/ squall lines) with height of 20 dBZ echo top and maximum reflectivity	Formation w.r.t radar station and Direction of movement	Remarks	Associated severe weather if any	Distric ts affect ed
Visakhapatnam	15.06.17	14/0300 14/0600	Squally line cb cells from SW to East with max reflectivity 50 dBZ and average height 11kms.	Squally line of cb cells are continued since last observation and moving Easterly.	Max reflectivity on the squally line of cb cells is reduced.	Thunderstorms.	-
		14/0900 14/1200	Convective region formed towards SE direction in the sea with max. Height 10 Km with 50 dBZ.	106 Km from the radar and moving Ely	Reflectivity in the region decreasing.	Thunderstorms.	-
		14/1200 14/1500	Convective region towards SE direction in the sea with max. Height 15 Km with 50 dBZ.	150 Km from the radar and moving Ely	Dissipating as they moves Ely.	-	-
		14/1800 15/0000	Cluster of single cells gradually developing into huge convective region with max reflectivity of 54 dBz and max ht of 17.5 kms	About 50 to 250 kms from radar in Ely and ESEly direction in the sea and moving Ely.	Gradually developing into a huge convective region.	-	-
		15/0000 15/0300	Cluster of single cells gradually developing into huge convective region with max reflectivity of 53 dBz and max ht of 14 kms	About 100 to 250 kms from radar in Ely and SEly direction in the sea and moving Ely.	Gradually developing into a huge convective region.	-	-
Lucknow	15.06.17	14/1242 - 14/2022	Isolated Cells with average height of 12 km and maximum reflectivity of 51.5dbZ	WNW(60km) moving in E'ly direction at speed of 43.2kmph.	Cells started forming at 122UTC at WNW (90km) from Radar. Matured in size subsequently. Maximum reflectivity during 1522 UTC and 1602UTC.	TS	-

Radar Station Name	Date	Time Interval Of Observati on (UTC)	Organisation Of The Cells(Isolated Single Cells/ Multiple Cells/ Convective Regions/ Squall Lines) With Height Of 20 dbZ echo top and maximum reflectivity	Formation w.r.t. radar station and Direction of movement	Remarks	Associated severe weather if any	Districts affected
Patna	15.06.17	140300 141400	NIL	NIL	N/A	N/A	N/A
		141400 141450	Single Cell. Maximum Reflectivity : 45 dBZ Echo Top : 13.8 KM	Range: 213 KM from DWR Patna in ESE direction. Movement- SOUTHERLY	Warning E-mail and Fax sent to State Disaster management Authority and Concern DMs	N/A	Bhagalpur & Banka.
		141450 141730	NIL	NIL	N/A	N/A	N/A
		141730 150300	Multiple Cell. Maximum Reflectivity : 51 dBZ Echo Top : 15 KM Multiple Cells. Maximum Reflectivity : 45.5 dBZ Echo Top : 14 KM	Range: 205 KM from DWR Patna in North- North West direction. Movement- South Easterly Range: 150 KM from DWR Patna in North West direction. Movement- South Easterly	Warning E-mail and Fax sent to State Disaster management Authority and Concern DMs	N/A	West Champaran, East Champaran, Shivhar, Sitamarhi, Muzaffarpur, Dharbhanga, Madhubani, Samastipur Gopalganj, Siwan, Saran, Buxar, Bhojpur, Patna, Vaishali, Jehanabad, Nalanda, Begusarai, Shekhpura, Lakhisarai, Jamui, Munger, Khagaria

Radar Station name	Date	Time interval of observation (UTC)	Organization of the cells (Isolated single cells/multiple cells/ convective regions/ squall lines) with height of 20 dBZ echo top and maximum reflectivity	Formation w.r.t radar station and Direction of movement	Remarks	Associated severe weather if any	Districts affected
Paradeep	15.06.17	0300-2300 UTC	Isolated single/multiple cells seen in the NW & SW sector of the RADAR between240-355 degrees (clockwise) and with highest Reflectivity values of the order of 40 dBZ and heights exceeding 14 km.	Position: NW sector of radar at a distance of 40-200 km approx. scattered in the zone. Movement: Nly initially and NWly in later stages in the sea.	Convective regions seen in the southern sector of the RADAR in late night and morning hours scattered from 100-250 kms in the sea area having SWly movement.	Rain with Thunder and lightning.	Bhadrak, Jajpur, Nayagarh, Keonjhargarh, Mayurbhanj, Khorda, Cuttack, Jagatsinghpur, Dhenkanal, Kendrapada, Baleshwar, Puri Ganjam.
Agartala	15.06.17	140300 - 140900	Multiple cells formed NW OF DWR Agartala with Maximum Height 16 <b>km at 0522UTC</b> and maximum reflectivity 41 <b>dBZ at 0342 UTC</b>	Formed 150 km NW of DWR and moves East wards with around 71 kmph. Squall line formed at about 0422 UTC.	Cells dissipated at 0900 UTC over Assam.	N/A	N/A
		140512 - 141212	Multiple Cells WWN of DWR Agartala with Maximum Height 16 <b>km at 0712 UTC</b> and maximum reflectivity 53 <b>dBZ at 0722 UTC</b> .	Formed 90 km WWN of DWR and moved East wards at around 31 kmph	Cells dissipated at 1212 UTC over Mizoram.	N/A	N/A
		141312 - 141512	Multiple cell formed with Maximum Height <b>16 km at1212 UTC</b> and maximum reflectivity 44 <b>dBZ at</b> <b>1212UTC</b>	Formed 240 km NWW and around 70 km WWS of DWR Agartala. Movement was stationary.	Cells dissipated at 1512 over Bangladesh.	N/A	N/A



Weather Symbols