

## India Meteorological Department FDP STORM Bulletin No.58(02-05-2017)

# 1. CURRENT SYNOPTIC SITUATION at 0300UTC of the Day:

## **SYNOPTIC FEATURES:**

The trough at mean sea level from north Rajasthan to Gangetic West Bengal, now runs from northwest Rajasthan to southeast Uttar Pradesh across southwest Uttar Pradesh.

The upper air cyclonic circulation over south Rajasthan & neighbourhood, now lies over West Rajasthan & neighbourhood and extends upto 2.1 Km above mean sea level.

The upper air cyclonic circulation over East Uttar Pradesh & neighbourhood, now lies over east Bihar & neighbourhood and extends upto 0.9 Km above mean sea level, however the trough from East Uttar Pradesh to west Vidarbha has become less marked.

The wind discontinuity from north Telangana to Maldive area, now runs from comorin area to South Interior Karnataka across interior Tamilnadu and extends upto 0.9 Km above mean sea level.

The upper air cyclonic circulation over east Assam & neighbourhood extending upto 0.9 km above mean sea level persists.

An upper air cyclonic circulation lies over south Madhya Pradesh & adjoining Vidarbha and extends upto 1.5 Km above mean sea level. A trough runs from this system to North Interior Karnataka across Marathwada and extends upto 1.5 Km above mean sea level. The feeble Western Disturbance as a trough in mid-tropospheric westerlies, now roughly runs along longitude 64.0 °E and north of latitude 32.0 °N.

A trough runs from interior Odisha to Lakshadweep area across Coastal Andhra Pradesh, Telangana and South Interior Karnataka at 5.8 km above mean sea level.

The upper air cyclonic circulation over northwest Uttar Pradesh & neighbourhood between 1.5 & 3.1 Km above mean sea level has become less marked.

The trough in mid tropospheric westerlies from East Madhya Pradesh to Maldives area across Telangana, South Interior Karnataka and Kerala has become less marked

## SATELLITE OBSERVATIONS during past 24hrs and current observation:

## Current Observation (based on 0900UTC imagery of INSAT 3D):

## Convective Activity and cloud description:

Scattered low/medium clouds seen over Nagaland, Manipur, Chhattisgarh, Odisha, Jharkhand and Madhya Pradesh,

Scattered low/medium clouds with embedded isolate weak to moderate convection seen over Arunachal Pradesh, Southeast Assam, and Sikkim.

Scattered low/medium clouds with embedded isolate moderate to intense convection seen over Nicobar Islands.

Isolated medium/high clouds seen over rest parts of the region.

## Arabian Sea:

No Significant clouds over the region.

## Bay of Bengal & Andaman Sea:

Scattered low/medium clouds with embedded moderate to intense convection seen over South Andaman Sea.

#### Past Weather:

**Convection:** Moderate to Intense convection was observed over Odisha Bihar Jharkhand West Bengal North East States South Chhattisgarh Coastal Andhra Pradesh Telangana South Interior Karnataka Kerala Tamilnadu.

OLR: - Upto 230 wm<sup>-2</sup> was observed over J&K Himachal Pradesh Uttarakhand Sikkim Arunachal Pradesh West Bengal.

Upto 250 wm<sup>-2</sup> was observed over Meghalaya Bihar Jharkhand Odisha South Chhattisgarh, Coastal Andhra Pradesh South Interior Karnataka South Kerala & North West Tamilnadu.

Westerly Trough & Jet-Stream: No Trough & Jet stream observed over India.

Dynamic Features: Positive shear tendency is observed over India.

Medium to high wind shear is observed over India.

A positive Vorticity field is observed over West Rajasthan Marathwada North Interior Karnataka Jharkhand.

Positive Low Level Convergence is observed over South parts of India and Negative low level convergence observed over North & Central parts of India.

#### Precipitation:

IMR: Rainfall upto 20 mm was observed over Extreme South Karnataka.

Rainfall upto 10 mm was observed over South East Bihar, West Bengal, Sikkim, Meghalaya, Extreme North East Arunachal Pradesh, South Interior Karnataka, South Kerala, North West Tamilnadu.

**HEM**: Rainfall upto 07 mm was observed over Jharkhand adjoining Bihar, West Bengal, Odisha, North Coastal Andhra Pradesh, South Interior Karnataka, Kerala, North West Tamilnadu Central Assam, East Arunachal Pradesh, Manipur.

#### **RADAR and RAPID observation:**

Strong echo (dBZ > 50 and height around 10km) was observed in Radar Composite of 1620IST and multiple significant convection seen over J & K, Himachal Pradesh, Northwest Rajasthan, South Jharkhand, South Chhattisgarh adjoining Telangana, Karnataka, Kerala and South Tamilnadu RAPID RGB Satellite imagery of 1600hrs IST.

## Environmental condition (dust etc) and its forecast based on 00UTC of date:

Dust concentration was observed over northern Africa and some parts of eastern Asia. Dust concentration is expected to increase over western and northern India for next five days.

High PM10 concentration was observed over noerth-western and northern India. PM10 concentration is expected decrease over northern India for next five days.

## 2. NWP MODEL GUIDANCE:

#### NCMRWF (NCUM Forecasts based on 00UTC of the day):

**1. Weather Systems:** 12UTC Charts of Day-0 to Day-2 show feeble trough in MSLP over J & K.

12UTC charts on all days from Day0-4 show two zones of wind discontinuity at 925 hPa due to persistent anticyclonic flow over Arabian Sea :(i) SW-NE extending from northern Karnataka-Telangana region to Odisha & WB region. (ii) S-N extending from southern parts of TN to northern parts of Telangana-AP region.

Trough at 850 hPa over GWB and SHWB in Day0-1. A CYCIR over Punjab and adjoining Pakistan in Day-0-1 at 850 hPa

At 500 hPa trough over west of J & K in Day-1. Strong east-west ridge over peninsula is prominent in Day-1 to Day-3

**2.** Location of jet and jet core at 500hPa:-500hPa Jet core (>60kt): Weaker core winds at 12 UTC on all days over India. Core winds of about 40-50 kt is seen over the SHWB and adjoining Assam region Day-2-Day-4

**3.** Convergence at 850 hPa: At 12UTC Day-0&1: At some isolated locations over Odisha, Jharkhand, Chhattisgarh and Rajasthan apart from over western Ghats over Maharashtra.

At 12UTC Day-2&3: Prominent high values at isolated locations over Assam Jharkhand and Chhattisgarh.

**4. Low level Vorticity:-Positive Vorticity (>15 x 10<sup>-5</sup>/s):** At 12UTC on Days 1: over Assam-Arunachal and over NW India mainly over Punjab, Haryana and adjoining Rajasthan and west UP.

At 12UTC day2 : Prominent strong values over west UP. Relatively lower values over Bihar and Assam.

At 12UTC on Day-3: Over SHWB and adjoining Bihar. Over NE mainly over Assam.

At 12UTC on Day-4: Prominent high values over SHWB and adjoiningBihar

At 00UTC : very high values along the line of low level confluence and strong convergence.

5. Showalter Index: Day-wise Sub-divisions with Showalter index <-4: At 12UTC on Days 1 : over Assam-Arunachal and over NW India mainly over Punjab, Haryana and adjoining Rajasthan and west UP.

At 12UTC day2 : Prominent strong values over west UP. Relatively lower values over Bihar and Assam.

At 12UTC on Day-3: Over SHWB and adjoining Bihar. Over NE mainly over Assam.

At 12UTC on Day-4: Prominent high values over SHWB and adjoining Bihar

At 00UTC: very high values along the line of low level confluence and strong convergence.

**6. K-Index: Daywise Sub-divisions with K-index >40:** Day0: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Jharkhand, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, Vidarbha, Chhattisgarh, Telangana, Rayalaseema, TN Puducherry, Coastal Karnataka, SI Karnataka, Kerala,

Day1: Arunachal Pradesh, Sub Himalayan WB, Uttarakhand, Himachal Pradesh, Odisha, Konkan Goa, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal AP, Telangana, Rayalaseema, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka, Kerala,

Day2: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, Konkan Goa, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal AP, Telangana, Rayalaseema, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka, Kerala,

Day3: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Bihar, Uttarakhand, Jammu Kashmir, Odisha, Konkan Goa, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal AP, Telangana, Rayalaseema, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka,

Day4: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Bihar, Uttarakhand, Jammu Kashmir, Odisha, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal AP, Telangana, Rayalaseema, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka

**7. Spatial distribution of TTI: Daywise Sub-divisions with TTI >52:** Day0: Arunachal Pradesh, NE NMMT, Gangetic WB, Uttarakhand, Hry Chd Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West RJ, SI Karnataka, Kerala,

Day1: Arunachal Pradesh, Sub Himalayan WB, West UP, Uttarakhand, Hry Chd Delhi, Himachal Pradesh, Jammu Kashmir, West RJ, East RJ, West MP, Konkan Goa, Madhya Maharashtra, Vidarbha, Chhattisgarh, NI Karnataka,

Day2: Arunachal Pradesh, Assam Meghalaya, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, East MP, Saurashtra Kutch, Madhya Maharashtra, Chhattisgarh,

Day3: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, Uttarakhand, Himachal Pradesh, Jammu Kashmir, East RJ, Odisha, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal AP, Coastal Karnataka, NI Karnataka,

Day4: Arunachal Pradesh, Assam Meghalaya, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, East MP, Konkan Goa, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal AP, Coastal Karnataka, NI Karnataka

#### 8. Rainfall: Daywise Sub-divisions with Precipitation>2cm:

- Day1: Arunachal Pradesh, Assam Meghalaya, Jammu Kashmir, TN Puducherry,
- Day2: Assam Meghalaya, Uttarakhand, Punjab, Himachal Pradesh, Jammu Kashmir,
- Day3: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Himachal Pradesh,
- Day4: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB,
- Day5: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Kerala,

#### IMD GFS (T1534) based on 00UTC the day:-

1. Weather Systems: The model analysis shows that in the lower tropospheric levels, a northeast-southwest trough from Bihar to Vidarbha and Madhya Maharashtra is seen embedded with a CYCIR over Madhya Pradesh and adjoining areas and towards peninsular India the orientation of the trough becomes north-south up to Interior Karnataka. The trough persists over the region till day 3 with a little eastward shifting of the north-eastern end on day 4 with an embedded CYCIR over SHWB and adjoining areas which moves westward over Bihar and adjoining east Uttar Pradesh on day 5. The north-south trough over peninsular India persists till day 5. The wind at 500 hPa shows a trough in westerlies over east India moving eastward crosses over NE states on day 1. Another feeble trough in westerlies at 500 hPa approach over northern part of NW India during day 2.

2. Location of jet and jet core at 500 hPa:-500 hPa Jet core (>60kt): No presence of jet core over the Indian region for the next 5 days except a zone strong wind over SHWB and parts of north-eastern states.

**3. Low level Vorticity:-Positive Vorticity 850hPa (>12 x 10<sup>-1</sup>/s):** Mostly along the foot hill of Himalaya over NW and NE India. Prominent vorticity zones are found along troughs over east, central and south peninsular India during next 5 days and sometimes over Rajasthan orienting northwest-southeast direction during morning hours.

4. Spatial distribution of T-Storm Initiation Index, Lifted Index, Total Total Index, CAPE, CINE and Sweat Index (High potential for thunderstorm):

**T-Storm Initiation Index (> 4):** Less than threshold value all over the country during next 5 days. The values between 3-3.5 mostly along east coast, eastern part of the country, along west coast and over Gujarat during the same period.

Lifted Index (< -2): Less than threshold value mostly along east coast, and also over Gangetic West Bengal, Jharkhand and parts of Bihar, east UP, north eastern states and along west coast and Gujarat during next 5 days.

**Total Total Index (> 50):** Above threshold value over the most parts of northwest and central India and reaching over eastern parts of India during afternoon hours.

Sweat Index (> 300): Mostly along east coast, along west coast, GWB, Bihar and adjoining areas eastern part of India and north eastern states during next 5 days.

**CAPE (> 1000):** Has nearly similar features of sweat index.

**CINE (50-150):** Mostly along east coast, west coast, Gujarat and adjoining areas, parts of north eastern states, over eastern India during morning hours for next 5 days.

#### 5. Rainfall and Rainfall activity:

10-70 mm rainfall over: SHWB and NE states during day 1 to 5.

10-40 mm rainfall over: J&K and HP on day1 and day2.

10-40 mm rainfall over: parts of costal Andhra Pradesh and adjoining Orissa during day 1-2 and 4-5.

10-40 mm rainfall over: Kerala and adjoining interior Karnataka, Konkan & Goa and Tamilnadu during next 5 days.

## IMD WRF (based on 00UTC of the day):

Model Reflectivity: 15-35 dBZ over some parts south GWB during next 24 hours.

15-35 dBZ: over parts of over parts of NE states during next 24 hours and confines over northern part NE states during next 2 days.

15-30 dBZ: over J&K, Himachal Pradesh and adjoining Uttarakhand during day 2.

15-30 dBZ: Over parts interior Karnataka and adjoining Tamilnadu during day 1.

#### Spatial distribution of Total Total Index, K-Index, CAPE and CINE:

**Total Total Index (> 50):** Above threshold value over most parts of the country except extreme south peninsula, J&K and parts of NE states during next 72 hour.

CAPE (> 1000): Mostly along east coast of India, over eastern parts of India, parts of NE states, west coast and coastal Gujarat during next 3 days.

**CINE (50-150):** Higher values over coastal regions of India. Some parts of eastern India, Gujarat and south peninsula during morning hours of next three days.

#### **Rainfall Activity:**

10-40 mm: over SHWB and North-eastern states during next 3 days.

10-40 mm rainfall over: Kerala and adjoining interior Karnataka and Tamilnadu during day 1. Spatial coverage and intensity decreases thereafter in next 2 days.

10-40 mm over: J & K and Himachal Pradesh during day 2.

## 3. IOP ADVISORY FOR 24 and 48Hrs:

#### **Summary and Conclusions:**

Presently, a trough runs from interior Odisha to Lakshadweep area across Coastal Andhra Pradesh, Telangana and South Interior Karnataka at 5.8 km above mean sea level. Due to this system, South Karnataka and interior Tamilnadu and adjoining Kerala may experience the rainfall activity on Day-1. Thunder squall with gusty wind is also possible. The North coastal Andhra Pradesh and Telangana may experiences the thunderstorm with hail on Day-1. Similar activity may prevail for Day-2 also over the same area.

Due to the upper air cyclonic circulation over east Assam & neighbourhood extending upto 0.9 km above mean sea level, the South Assam, Meghalaya and Tripura may experience some rainfall activity on Day-1.

An upper air cyclonic circulation lies over south Madhya Pradesh & adjoining Vidarbha and extends upto 1.5 Km above mean sea level; this will give rise to Thunder squall with gusty wind over south Chhattisgarh, Vidarbha and Orissa on Day-1.


#### 24 hour Advisory for IOP:


Assam, Meghalaya, Nagaland, Manipur, Mizoram, Tripura Kerala, Interior Karnataka, Interior Tamilnadu, Telangana, Rayalaseema Coastal Andhra Pradesh, GWB, Orissa, Jharkhand South Chhattisgarh and Vidarbha Jammu & Kashmir, Himachal Pradesh, Northwest Rajasthan


#### 48 hour Advisory for IOP:


Jammu and Kashmir, Himachal Pradesh, Uttrakhand, Punjab, Haryana, Delhi, North Rajasthan Arunachal Pradesh Assam, Meghalaya, Nagaland, Manipur, Mizoram, Tripura Kerala, Interior Karnataka, Telangana, Rayalaseema Coastal Andhra Pradesh GWB


For NCMRWF NWP products:( <u>http://www.ncmrwf.gov.in/HomePage/NEPS-prod-1.php</u> ) For IMD NWP products:( <u>http://nwp.imd.gov.in/diagpro new.php</u> )
For Synoptic plotted data and charts
http://amssdelhi.gov.in/
http://www.amsskolkata.gov.in/
For RAPID tool:
http://rapid.imd.gov.in/
Low Level Winds
http://satellite.imd.gov.in/archive/INSAT-3D-IMAGER/3D-PRODUCTS/AMV/LLW/MAR 2017/?C=M;O=D
Upper level winds
http://satellite.imd.gov.in/archive/INSAT-3D-IMAGER/3D-PRODUCTS/AMV/HLW/MAR 2017/?C=M;O=D
Past24hourHEMandIMRrainfall(upto03UTCoftoday)
IMR: http://satellite.imd.gov.in/img/3Ddaily imr.jpg
HEM: http://satellite.imd.gov.in/img/3Ddaily he.jpg
ForRadarimagesofthepast24hoursincludingmosaicofimages:
http://ddgmui.imd.gov.in/dwr img/
Satellite sounder based T- Phigram
http://satellite.imd.gov.in/map skm2.html














Realized weather past 24hours (Based on SYNERGIE Products)									
Date	Time of Reporting	Name of Station Reporting	Region	STATE	Weather Event				
01-05-17	0600 UTC	Nil	Nil	Nil	Nil				
		Bhagalpur	East India	Bihar	Thunderstorm				
01-05-17	0900 UTC	Gangtok	East India	Sikkim	Thunderstorm				
	0900 010	Pendra Road	Central India	Chhattisgarh	Thunderstorm				
		Gadag	South India	Karnataka	Thunderstorm				
		Cooch Behar, Malda	East India	WB(SHWB)	Thunderstorm				
		Panagarh	East India	West Bengal	Thunderstorm				
01-05-17		Ranchi	East India	Jharkhand	Thunderstorm				
01-05-17		Keonjhargarh	East India	Odisha	Thunderstorm				
01-05-17	1200 UTC	Pendra Road, Jagdalpur	Central India	Chhattisgarh	Thunderstorm				
01-05-17		Vishakhapatnam, Vijayawada	South India	Andhra Pradesh	Thunderstorm				
01-05-17		Shimoga	South India	Karnataka	Thunderstorm				
01-05-17		Karipur, Palakkad	South India	Kerala	Thunderstorm				
		Coonoor, Coimbatore	South India	Tamilnadu	Thunderstorm				
		Ranchi	East India	Jharkhand	Thunderstorm				
01-05-17	1500 UTC	New Delhi	Northwest India	Delhi	Thunderstorm				
01-05-17		Bankura, Dumdum	East India	West Bengal	Thunderstorm				
		Balasore, Gopalpur	East India	Odisha	Thunderstorm				
01-05-17		Bangalore	South India	Andhra Pradesh	Thunderstorm				
		Cochin	South India	Kerala	Thunderstorm				
01-05-17	1800 UTC	Nagpur	Central India	Vidarbha	Thunderstorm				
01-05-17	2100 UTC	Imphal	Northeast India	Manipur	Thunderstorm				
02-05-17	0000 UTC	Imphal	Northeast India	Manipur	Thunderstorm				
02-05-17	0300 UTC	Dibrugarh	Northeast India	Assam	Thunderstorm				

Realised TS/HS/SQ during past 24 hours ending at 0300UTC of today(received from RMCs/MCs)								
Name of Station Reporting	Region	STATE	Weather Event (TS/Hail/Squall)	Date	Time of Commencement (IST)	Time of end (IST)		
Dibrugarh	Northeast India	Assam	Thunderstorm	02-05-17	0525	0640		
Silchar	Northeast India	Assam	Thunderstorm	02-05-17	0030	0200		
Cherrapunjee	Northeast India	Meghalaya	Thunderstorm	01-05-17	2050	2150		
Imphal	Northeast India	Manipur	Thunderstorm	02-05-17	0030	0435		
Lengpui	Northeast India	Mizoram	Thunderstorm	02-05-17	0010	0040		
Agartala	Northeast India	Tripura	Thunderstorm	01-05-17	2050	2345		
Agartala	Northeast India	Tripura	Squall (Direction-W, Max. speed 75kmph)	01-05-17	2128	2133		
Kodaikanal	South India	Tamilnadu	Thunderstorm	01-05-17	1310	1520		
Coimbatore	South India	Tamilnadu	Thunderstorm	01-05-17	1430	1447		
Visakhapatnam	South India	Andhra Pradesh	Thunderstorm	01-05-17	1700	1800		
Vijayawada AP	South India	Andhra Pradesh	Thunderstorm	01-05-17	1000 1640	1030 1720		
Yelahanka IAF	South India	Karnataka	Thunderstorm	01-05-17	1800	2015		
Bengaluru City	South India	Karnataka	Thunderstorm	01-05-17	1940	2055		
CIAL Kochi	South India	Kerala	Thunderstorm	01-05-17	1602 1835	1650 1950		
Karipur A P	South India	Kerala	Thunderstorm	01-05-17	1610	1830		
Kozhikode	South India	Kerala	Thunderstorm	01-05-17	1705	1725		
Thiruvananthapuram AP	South India	Kerala	Thunderstorm	01-05-17	2105	2220		
Thiruvananthapuram C	South India	Kerala	Thunderstorm	01-05-17	2045	2215		

Realised TS/HS/SQ during past 24 hours ending at 0300UTC of today(received from RMCs/MCs)								
Name of Station Reporting	Region	STATE	Weather Event (TS/Hail/Squall)	Date	Time of Commencement (IST)	Time of end (IST)		
Gorakhpur	Northwest India	Uttar Pradesh	Thunderstorm	01-05-17	0830	0930		
Wardha	Central India	Vidarbha	Thunderstorm	01-05-17	2000	2100		
Gondia	Central India	Vidarbha	Thunderstorm	01-05-17	2230	2300		
Jagdalpur	Central India	Chhattisgarh	Thunderstorm	01-05-17	0830	0900		
2 .		-			1630	1900		
Pendra Road	Central India	Chhattisgarh	Thunderstorm	01-05-17	1335	1445		
					1630	1725		
Constal	East India	Sikkim	Thunderstorm	01-05-17	1250	1430		
Gangtok					1535	1600		
Tadong	East India	Sikkim	Thunderstorm	01-05-17	1300	1615		
Coochbehar	East India	West Bengal	Thunderstorm	01-05-17	1625	1740		
Jalpaiguri	East India	West Bengal	Thunderstorm	01-05-17	1515	1550		
Malda	East India	West Bengal	Thunderstorm	01-05-17	1600	1800		
Alipara	East India	West Bengal	Squall (Direction-NW, Max.	01-05-17	2012	2013		
Alipore			speed 61kmph)					
DumDum	East India	West Bengal	Thunderstorm	01-05-17	2000	2135		
Haldia	East India	West Bengal	Thunderstorm	01-05-17	1945	2125		
Digha	East India	West Bengal	Thunderstorm	01-05-17	1745	2010		
Asansol	East India	West Bengal	Thunderstorm	01-05-17	1700	1800		
Bankura	East India	West Bengal	Thunderstorm	01-05-17	1750	2100		
Sriniketan	East India	West Bengal	Thunderstorm	01-05-17	1755-			
Dharada a	East India	Bihar	Thunderstorm	01-05-17	1330	1525		
Bhagalpur					1600	1610		
Daltonganj	East India	Jharkhand	Thunderstorm	01-05-17	1415	1430		
	East India	Jharkhand	Thunderstorm	01-05-17	1525	1550		
Ranchi					1650	1705		
Balasore	East India	Odisha	Thunderstorm	01-05-17	1700	2000		
Gopalpur	East India	Odisha	Thunderstorm	01-05-17	1600	2015		
Keonjhargarh	East India	Odisha	Thunderstorm	01-05-17	1640	1710		

# Past 24 hours DWR Report:

	Date	Time interval of observatio n (UTC)	Organization of the cells (Isolated single cells/multiple cells/ convective regions/ squall lines) with height of 20dBZ echo top and maximum reflectivity	Formation w.r.t radar station and Direction of movement	Remarks	Associated severe weather if any	Districts affected
Radar Station name DWR Machilipatnam	03Z of 01/05/1 7 to 03Z of 02/05/1 7	0431 to 1131 UTC	Convective region with average height of 8.5 km with maximum reflectivity of65.5 dBZ	N(141KM) and moving NE ly direction with average speed of 15kmph	Cells started forming at 0431UTC at WNW (89.1km) from radar. Maximum reflectivity during 0431 to1121 and died down at 1131UTC	Possibility of Thunder storm with Hail and strong winds.	Krishna, East Godavari, West Godavari and Visakhapatna m Districts
	03Z of 01/05/1 7 to 03Z of 02/05/1 7	0711 to 1541UTC	Isolated Multiple cells average height of 8.2km with maximum reflectivity of 65.5dBZ	W(105KM) and moving SE ly direction with average speed of 25 kmph	Cell started forming at 0711UTC at NW (159km) from radar. Maximum reflectivity during 0741 to 1201 and died down at 1541 UTC	Possibility of Thunder storm with hail and moderate winds.	Nalgonda, Guntur and Prakasam Districts
	03Z of 01/05/1 7 to 03Z of 02/05/1 7	0721 to 1301UTC	Isolated Multiple cells average height of 6.1 km with maximum reflectivity of 62 dBZ	NW(237KM) and moving SE ly direction with average speed of 10 kmph	Cells started forming at 0721UTC at NW (227km) from radar. Maximum reflectivity during 0801 to 0821, 0911 to1211 died down at 1301 UTC	Possibility of Thunder storm with Hail and moderate winds.	Warangal District
	01/05/1 7	0152-0402 0632-1012	Single	160 km SSE 120 km SSE	< 30 dBZ, Ht. of cloud=3 to 8 km 31 dBZ & ht. of cloud =3 to 8.2		
		0652-1952	Single	80 km NNE, density increases and covers range from 70 to 150 km in	km $34 \text{ dBZ}$ , ht. of cloud = 4 to 9.6 km		
UR		0702-1012	Multiple	length in NE dir., moving SE & dissipates at 1952 in SE dir. (120 km )			
NAGPUR		0902-2102	Single	160 km SE, becomes multiple	30 dBZ, ht. of cloud = 2.7 to 8.2 km		
2			Multiple	Between 50 to 70 km in NW dir., moving SE, becomes very dense at 1702 in W to S region between 10 to 100 km, dissipates at 150 km SSE,	38 dBZ & ht. of cloud= 1 to 8.2 km		
		0002-0302	Nil				

Radar Station Name	Date	Time Interval of Observation (UTC)	Organisation of cells (Isolated single cells /multiple cells/ convective regions /squall lines) with height of 20 dBZ echo top and maximum reflectivity	Formation w.r.t. radar station and Direction of movement	Remarks	Associated Severe Weather if any	Districts affected	
		01/0301- 0731 UTC	NIL	NIL	NO SIGNIFICANT ECHO	NIL	NIL	
Kolkata		01/0741 - 1522 UTC	1.Single cell converted to extended multi cell system with maximum reflectivity of 68.0 dBz at 0851 UTC and maximum height of 15.5 Km at 0901 UTC	1.WSW (213 km) Moving in E-ly direction with a speed of 30 kmph	1. Formation started at 0741 UTC in WSW at a distance of 213 km from Radar. Matured and dissipated at 1512 UTC in at a distance of 070.2 km from Radar	Hailstorm /Thunderstorm /Squall / Rain	N/A	
	02-05- 2017		01/1021- 1321 UTC	2. Single cell converted to extended multi cell system with maximum reflectivity of 67.5 dBz at 1051 UTC and maximum height of 14.6 Km at 1132 UTC.	2. NNW (245 km) Moving in E-ly direction with a speed of 58.5 kmph	2. Formation started at 1021 UTC in NNW at a distance of 245 km from Radar. Matured and dissipated at 1321 UTC in NNE at a distance of 247.1 km from Radar	Hailstorm /Thunderstorm /Squall / Rain	N/A
		01/1031 – 1731 UTC	3. Single cell with maximum reflectivity of 67.0 dBz at 1101 UTC and maximum height of 12.1 Km at 1112 UTC.	3. NW (246 km) Moving in SE-ly direction with a speed of 56.6 kmph	3. First observed at 1031 UTC in NW at a distance of 246 km from Radar. Matured and merged with cell no. 4 at 1211 UTC in NNW at a distance of 144.3 km from Radar	Hailstorm /Thunderstorm /Squall / Rain	N/A	
Paradeep	02/05/17	0300-2300 UTC	Isolated Single cells with average heights of 11 km and maximum heights exceeding 14 kms. and average reflectivity of 35 dBZ with some areas having reflectivity values of the order of 57 dBZ.	Position: Western sector of RADAR (180-350 degrees) Range:80-250 kms from the RADAR. Movement: Westerly	Cells started developing at 0700 UTC and dissipated by 1400 UTC.	TS with Rain. Hailstorms expected around 1642 IST in Dhenkanal district.	Mayurbhanj, Keonjhar, Kandhamal, Ganjam, Dhenkanal, Puri, Ganjam, Mayurbhanj, Bhadrak, Jajpur, Baleshwar, Cuttack, and Nayagarh.	

Radar Station Name	Date	Time Interval Of Observati on (UTC)	Organisation Of The Cells(Isolated Single Cells/ Multiple Cells/ Convective Regions/ Squall Lines) With Height Of 20 dbZ echo top and maximum reflectivity	Formation w.r.t. radar station and Direction of movement	Remarks	Associated severe weather if any	Districts affected
		010300 _ 010330	Single Cell. Maximum Reflectivity : 45 dBZ Echo Top : 9 KM	Range : 154 KM from DWR Patna in North- North West. Movement- Easterly	Warning E-mail and Fax sent to State Disaster management Authority and Concern DMs	N/A	EAST CHAMPARAN
		010330 _ 010530	NIL	NIL	N/A	N/A	N/A
Patna	02/05 /2017	010530 - 010830	Single Cell. Maximum Reflectivity : 44.5 dBZ Echo Top : 6 KM	Range : 93 KM from DWR Patna in North-North East. Movement-Easterly	Warning E-mail and Fax sent to State Disaster management Authority and Concern DMs	N/A	MUZAFFARPU R, DARBHANGA, SITAMARHI, MADHUBANI
		010830 - 010840	NIL	NIL	N/A	N/A	N/A
		010840 - 011140	Multiple Cell. Maximum Reflectivity : 53.5 dBZ Echo Top : 15 KM	Range : 206 KM from DWR Patna in East- South- East. Movement- South-Easterly	Warning E-mail and Fax sent to State Disaster management Authority and Concern DMs	N/A	JAMUI, BHAGALPUR, BANKA, LAKHISARAI, MUNGER
		011140 - 020300	NIL	NIL	N/A	N/A	N/A
Agartala	02/05 /17	010850 - 012130	Multiple Cells developed into a squall line with Maximum Height <b>15 km</b> and maximum reflectivity <b>53 dBZ</b> (at 1400 UTC of 01.05.17 over Bangladesh-100 km WNW of DWR AGT)	Formed 450 km WNW of DWR AGT at 0850 UTC of 01.05.17, developed into a squall line at 1350 UTC and moved ESE- wards at around 55 kmph	The cells dissipated at 2130 UTC of 01.05.17 over Manipur & adj Myanmar	1.TS with mod rain and Squall at Agartala Airport 2.TS with light to mod rain at other places	All districts of Tripura, East Khasi hills districts of Meghalaya, Mamit district of Mizoram

DWR Station	Date	Time interval of observation	Organization of the cells (isolated single cell/multiple cells convective regions/ squall lines) with height of 20 dBZ echo top and maximum reflectivity	Formation w.r.t. radar station & direction of movement	Remarks	Associated severe weather, if any	Districts affected
Lucknow	01/05/2017	010300 UTC to 010342 UTC	Persistent multiple cell system at 240 Km, ENE. Maximum reflectivity was 42 dBZ and height of cells reached 12 Km.	First observed at 200 Km. NE on 01/0220 UTC. System receded w.r.t. the station easterly with avg. speed 108 Km/h	Weakened and later dissipated at 280 Km East around 0440 UTC.	TS	Gorakhpur
	01/05/2017	010300 UTC to 010432 UTC	Multiple cells formed over station and adjoining areas, also at 130 Km NW, 30 Km. N The height of the cell in NW observed to be 10 Km. & Maximum core reflectivity reached 38 dBZ.	System moved E ly with avg. speed 40 Km/h, weakened and dissipated at 100 Km. N w.r.t. station.	Dissipated at 0432 UTC.	NIL	NIL
	02/05/2017	010432 UTC To 020300 UTC	NIL	NIL	Radar was shut down from 01/1212 UTC to 01/1402 UTC.	NIL	NIL
Srinagar	02/05/2017	01 MAY 03Z to 002May 3Z(24hrs)	A sigle cell developed in the NW of DWR srinager at around 0830 and move SE direction	1.Develoved at SW of Radar and persisted and finally dissipated at 1130UTC	NIL	NIL	NIL

