

# India Meteorological Department FDP STORM Bulletin No.72 (16-05-2017)

## 1. CURRENT SYNOPTIC SITUATION at 0300UTC of the Day:

The Western Disturbance as an upper air cyclonic circulation over Jammu & Kashmir and neighbourhood now lies over northeast Jammu & Kashmir and neighbourhood at 3.1 Km above mean sea level.

Another Western Disturbance as a trough in mid-tropospheric westerlies roughly along longitude 62.0°E and north of latitude 27.0°N now runs roughly along longitude 64.0°E and north of latitude 27.0°N.

The upper air cyclonic circulation over East Uttar Pradesh & neighbourhood now lies over southeast Uttar Pradesh and neighbourhood and extends upto 0.9 km above mean sea level. The trough from this system to east Arunachal Pradesh now runs upto Northwest Bay of Bengal and extends upto 0.9 km above mean sea level.

The upper air cyclonic circulation over Bangladesh & neighbourhood now lies over Meghalaya & neighbourhood and extends between 1.5 km and 5.8 km above mean sea level.

The upper air cyclonic circulation over north Andaman sea & neighbourhood now lies over Gulf of Martaban & neighbourhood and extends upto 3.6 km above mean sea level.

A trough at mean sea level runs from north Coastal Andhra Pradesh to south coastal Tamilnadu along the east coast.

#### **SATELLITE OBSERVATIONS during past 24hrs and current observation:**

## **Current Observation (based on 0300UTC imagery of INSAT 3D):**

#### **Convective Activity and cloud description:**

Scattered multi-layered clouds were seen over J & K, HP, Punjab and N Haryana in association with WD over the area.

Scattered low/medium clouds with embedded moderate to intense convection were seen over Bay Islands. Scattered low/medium clouds with embedded isolated weak to moderate convection were seen over NE states and Bangladesh. Scattered low/medium clouds were seen over Uttarakhand, Vidarbha, rest parts of east and south India.

#### **Arabian Sea:**

Scattered low/medium clouds with embedded isolated moderate to intense convection were seen over southeast Arabian Sea.

#### **Bay of Bengal & Andaman Sea:**

Scattered low/medium clouds with embedded moderate to intense convection were seen over south Bay of Bengal, Andaman Sea, Gulf of Martaban and Tenasserim coast.

#### **Past Weather:**

#### Convection:-

Moderate to Intense convection was observed over NW J & K, Himachal Pradesh, Uttarakhand, Uttar Pradesh, Bihar, Jharkhand, Odisha, West Bengal, Meghalaya, Assam, Manipur, Mizoram, Tripura, Karnataka, Kerala Tamilnadu.

#### OLR:-

Upto 200 wm<sup>-2</sup> was observed over Extreme West J&K, East Meghalaya, Sikkim, East Assam, Nagaland, Manipur, Tripura. Upto 230 wm<sup>-2</sup> was observed over Rest J&K, Himachal Pradesh, North Uttarakhand, West Bengal, Rest Meghalaya, Rest Assam, Arunachal Pradesh, Karnataka, South Kerala and West Tamilnadu. Upto 250 wm<sup>-2</sup> was observed over North Punjab, Extreme North Rajasthan, West Haryana, North East Odisha, North Kerala

#### Westerly Trough & Jet-Stream:.

No Westerly Trough & Jet Stream

#### **Dynamic Features**

Low to Medium wind shear is observed over India.

Positive shear tendency is observed over India.

A positive Vorticity field is observed over Saurashtra, South Chhattisgarh, North Coastal Andhra Pradesh, Uttar Pradesh Bihar West Bengal. Negative low level convergence observed over most parts of India,

#### **Precipitation**:

#### IMR:

Rainfall Upto 90mm was observed over Extreme North East Odisha adjoining West Bengal. Rainfall Upto 70 mm was observed over West Bengal, North East Jharkhand, Meghalaya. Rainfall upto 50mm was observed over South Konkan, East Bihar, Mizoram, Tripura. Rainfall upto 30mm was observed over Manipur. Rainfall upto 20mm was observed over Extreme West J&K, South Tamilnadu, Assam. Rainfall upto 10mm was observed over Rest J&K, North Uttarakhand, Punjab, West Haryana, North West Rajasthan, Nagaland, Karnataka.

#### HEM:.

Rainfall Upto 70 mm was observed over South West J&K, North Uttarakhand, South Konkan, North East Odisha adjoining West Bengal, East Bihar, North East Jharkhand, East Arunachal Pradesh, Meghalaya, Mizoram, Sikkim, South Interior Karnataka.

Rainfall upto 14 mm was observed over adjoining Himachal Pradesh, Nagaland, Manipur, Mizoram.

Rainfall upto 07 mm was observed over Rest J&K, Punjab, Rest Karnataka, Rest West Bengal, Nagaland, Assam, Manipur.

#### **RADAR and RAPID Observation:**

No significant convection was seen in DWR Composite at 1300hrs IST.

RAPID RGB satellite imagery at 1200hrs IST indicated convective clouds over J & K, Himachal Pradesh, Sikkim, Arunachal Pradesh and Andaman & Nicobar Islands.

## **Environmental condition (dust etc) and its forecast based on 00UTC of date:**

Higher Dust concentration was observed over northern Africa and some parts of eastern Asia. Dust concentration is expected to remain high over western and northern India for next five days. High PM10 concentration was observed over north-western and northern India.

#### 2. NWP MODEL GUIDANCE:

## NCMRWF (NCUM Forecasts based on 00 UTC of the day):-

#### 1. Weather Systems:

12UTC Charts of Day-2-4, also show evolution of heat low extending from over NW India and adjoining Pakistan south-eastwards over the IG plains. The MSLP values lower than 992hPa on Day-4. Weak trough can be seen over on all days from Day-0-4

**12UTC charts on days from Day2-4**: show a zones of wind discontinuity at 925 hPa :(i) SW-NE extending from northern Telangana-Maharashtra region to Chhattisgarh-Jharkhand region.

Over Bay of Bengal a CYCIR is seen at 925, 850 and 500 hPa(Day-0-2) over Andaman and Nicobar Islands which is moving towards Myanmar in Day-3&4

At 500hPa Day-2 to Day-4 strong anticyclone is evolving over central peninsula.

#### 2. Location of jet and jet core at 500hPa:-500hPa Jet core (>60kt):

Weaker core winds at 12 UTC on all days over India..

#### 3. Convergence at 850 hPa:

Day0: Assam Meghalaya, Jharkhand, Odisha, Madhya Maharashtra, NI Karnataka,

Day1: Arunachal Pradesh, Jharkhand, East RJ, Odisha, East MP, Coastal AP, SI Karnataka,

Day2: Jharkhand, East RJ, Odisha, East MP, Rayalaseema, TN Puducherry, SI Karnataka,

Day3: Gangetic WB, Jharkhand, East RJ, Odisha, West MP, Chhattisgarh, Coastal AP, TN Puducherry,

Day4: Gangetic WB, Jharkhand, Odisha, Coastal AP.

#### 4. Low level Vorticity:-Positive Vorticity (>15 x 10<sup>-5</sup>/s):

Day0: Arunachal Pradesh, Assam Meghalaya, Bihar, Odisha, TN Puducherry,

Day1: Assam Meghalaya, Jharkhand, Odisha, Coastal AP, TN Puducherry,

Day2: Assam Meghalaya, TN Puducherry,

Day3: Assam Meghalaya, West UP, Uttarakhand, Himachal Pradesh, Odisha, Guj Reg, Coastal AP, TN Puducherry,

Day4: Bihar, East UP, Uttarakhand, Himachal Pradesh, TN Puducherry,

#### 5. Showalter Index: -3 to -4[Very unstable]:

Day0: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, Konkan Goa, Madhya Maharashtra, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka, Kerala,

Day1: Arunachal Pradesh, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, Konkan Goa, Madhya Maharashtra, Coastal AP, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka, Kerala,

Day2: Arunachal Pradesh, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, Konkan Goa, Madhya Maharashtra, Coastal AP, Rayalaseema, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka, Kerala,

Day3: Arunachal Pradesh, Assam Meghalaya, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, West RJ, Odisha, Saurashtra Kutch, Konkan Goa, Chhattisgarh, Coastal AP, Rayalaseema, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka,

Day4: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, West RJ, East RJ, Odisha, Guj Reg, Saurashtra Kutch, Konkan Goa, Coastal AP, Rayalaseema, Coastal Karnataka, NI Karnataka, SI Karnataka.

#### 6. K-Index :> 35[Very Unstable thunderstorm likely]:

Day0: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, West RJ, Odisha, West MP, Madhya Maharashtra, Marathawada, Vidarbha, Coastal AP, Telangana, Rayalaseema, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka, Kerala,

Day1: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, Madhya Maharashtra, Marathawada, Coastal AP, Telangana, Rayalaseema, TN Puducherry, Coastal Karnataka, NI Karnataka, SI Karnataka,

Day2: Arunachal Pradesh, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, Konkan Goa, Madhya Maharashtra, Coastal AP, Rayalaseema, TN Puducherry, NI Karnataka, SI Karnataka,

Day3: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, Madhya Maharashtra, Chhattisgarh, Coastal AP, Rayalaseema, TN Puducherry, NI Karnataka, SI Karnataka,

Day4: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, East RJ, Odisha, West MP, Madhya Maharashtra, Coastal AP, Rayalaseema, TN Puducherry, NI Karnataka, SI Karnataka

#### 7. Spatial distribution of TTI: TTI >50 [Scattered Thunderstorms few severe]:

Day0: Arunachal Pradesh, Sub Himalayan WB, East UP, West UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, West RJ, East RJ,

Day1: Arunachal Pradesh, Sub Himalayan WB, East UP, West UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, TN Puducherry,

Day2: Arunachal Pradesh, Sub Himalayan WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, Odisha, Madhya Maharashtra, Coastal AP, TN Puducherry,

Day3: Arunachal Pradesh, Sub Himalayan WB, Jharkhand, Bihar, East UP, Uttarakhand, Himachal Pradesh, Jammu Kashmir, West RJ, Odisha, Saurashtra Kutch, Chhattisgarh, Coastal AP, Rayalaseema,

Day4: Arunachal Pradesh, Sub Himalayan WB, Gangetic WB, Jharkhand, Bihar, East UP, West UP, Uttarakhand, Hry Chd Delhi, Punjab, Himachal Pradesh, Jammu Kashmir, West RJ, East RJ, Odisha, Guj Reg, Saurashtra Kutch, Chhattisgarh, Coastal AP

#### 8. Rainfall and thunder storm activity

Day1: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Sub Himalayan WB, Jammu Kashmir, Andaman Nicobar,

Day2: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Jammu Kashmir, Andaman Nicobar, Rayalaseema, TN Puducherry, SI Karnataka,

Day3: Arunachal Pradesh, Assam Meghalaya, NE NMMT, Andaman Nicobar, TN Puducherry, SI Karnataka, Kerala,

Day4: Arunachal Pradesh, Assam Meghalaya, Sub Himalayan WB, Andaman Nicobar,

Day5: Arunachal Pradesh, Assam Meghalaya, Sub Himalayan WB, Uttarakhand, Andaman Nicobar

#### IMD GFS (T1534) based on 00UTC the day:-

#### 1. Weather Systems:

00 UTC analyses shows an east-west trough over UP and Bihar along with a low level CYCIR over Bihar region. The analysis charts also indicate a NE-SW oriented trough at low level from Bihar and adjoining UP, Jharkhand, Chhattisgarh, Odisha and north Andhra. The NE-SW oriented trough starting from the CYCIR over Bihar and adjoining UP almost persists during next 4 to 5 days with slight shifting eastward after 2 days.

Another CYCIR over northeast Rajasthan and adjoining Pakistan on day 4 and day 5.

#### 2. Location of jet and jet core at 500 hPa:-500 hPa Jet core (>60kt):

No presence of jet core over the Indian region for the next 5 days..

### 3. Low level Vorticity:-Positive Vorticity 850hPa (>12 x 10-1/s):

Analysis shows low level positive vorticity mainly over the foothills of Himalaya, along with interior Odisha, Chhattisgarh. The high vorticity belts confine over eastern coastal states over GWB, SHWB, Odisha, Chhattisgarh along with the foot hills during next 3 days.

## 4. Spatial distribution of T-Storm Initiation Index, Lifted Index, Total Index, CAPE, CINE and Sweat Index (High potential for thunderstorm):

**T-Storm Initiation Index (> 4):** Significant threshold values are noticed over East UP, Bihar, Jharkhand, GWB, Odisha, Chhattisgarh and coastal AP. Forecast shows significantly high threshold values over west coast of India particularly over the Gujarat region along with the eastern belts during next 3 days.

**Lifted Index (< -2):** The areas with index less than -2 mainly lies over East UP, Bihar, GWB, Odisha, Chhattisgarh and coastal AP during next 3 days.

**Sweat Index (> 400):** 00UTC shows significant values over major parts along east UP, Jharkhand, GWB, Chhattisgarh, GWB, Coastal AP and also over west coast of India (particularly over the Gujarat region).

**Total Total Index (> 50):** Analysis shows significant values over few pockets MP, Chhattisgarh, Odisha, coastal AP with maximum mainly observed at 12 UTCs during next 2 to 3 days.

**CAPE (> 1000):** Mostly along east coast of India over east UP, Bihar, Jharkhand, GWB, Odisha Chhattisgarh, and adjoining AP regions along with parts in south peninsular region and Gujarat region during the next 3days.

**CIN (50-150):** Maximum CIN values are found in some areas along east coast over GWB, Odisha, coastal AP and Tamil Nadu and also along the west coast of India (Particularly over Gujarat region) for the next 2-3 days..

#### 5. Rainfall and thunderstorm activity:

10-40 mm rainfall is forecasted tomorrow over NE states. Rainfall over Odisha, GWB region will increase during days 3 and 4. Rainfall activity over south interior Karnataka, Tamil Nadu and Kerala will increase for the next 2-3 days and decrease thereafter

## 3. IOP ADVISORY FOR 24 and 48Hrs:

#### **Summary and Conclusions:**

## Day-1 & Day-2:

Presently, the upper air cyclonic circulation over north Andaman Sea & neighbourhood now lies over Gulf of Martaban & neighbourhood and extends upto 3.6 km above mean sea level. This will give rise to isolated heavy rainfall over the Andaman and Nicobar Islands on Day-1.

Another upper air cyclonic circulation over Bangladesh & neighbourhood now lies over Meghalaya & neighbourhood and extends between 1.5 km and 5.8 km above mean sea level. This will give rise to isolated heavy rainfall over the Assam & Meghalaya and NMMT on Day-1.

The Western Disturbance as an upper air cyclonic circulation over Jammu & Kashmir and neighbourhood now lies over northeast Jammu & Kashmir and neighbourhood at 3.1 Km above mean sea level. This will give rise to thunder storm with hail over J & K, Himachal Pradesh and Uttarakhand on Day-1. The Northern parts of the country may experience thunder storm with gusty wind on Day-1 and Day-2.

## 24 hour Advisory for IOP:

Andaman and Nicobar Islands, Assam, Meghalaya, East Arunachal Pradesh Nagaland, Manipur, Mizoram and Tripura Kerala, Interior Tamilnadu, South Interior Karnataka, Rayalaseema Sub Himalayan West Bengal, GWB, Sikkim, Orissa, Bihar, Jharkhand J & K, Himachal Pradesh, Uttarakhand, Punjab, Haryana, West and East UP

#### 48 hour Advisory for IOP:

Assam, Meghalaya, East Arunachal Pradesh Nagaland, Meghalaya, Mizoram and Tripura Kerala, Interior Tamilnadu, South Interior Karnataka Sub Himalayan West Bengal, GWB, Sikkim, Orissa, Bihar, Jharkhand Jammu and Kashmir, Himachal Pradesh, Uttarakhand, Punjab, Haryana, West UP For NCMRWF NWP products:(http://www.ncmrwf.gov.in/HomePage/NEPS-prod-1.php)

For IMD NWP products:(http://nwp.imd.gov.in/diagpro new.php)

For Synoptic plotted data and charts

http://amssdelhi.gov.in/

http://www.amsskolkata.gov.in/

For RAPID tool:

http://rapid.imd.gov.in/

Low Level Winds

http://satellite.imd.gov.in/archive/INSAT-3D-IMAGER/3D-PRODUCTS/AMV/LLW/MAR 2017/?C=M;O=D

Upper level winds

http://satellite.imd.gov.in/archive/INSAT-3D-IMAGER/3D-PRODUCTS/AMV/HLW/MAR 2017/?C=M;O=D

Past24hourHEMandIMRrainfall(upto03UTCoftoday)

IMR: http://satellite.imd.gov.in/img/3Ddaily imr.jpg


HEM: http://satellite.imd.gov.in/img/3Ddaily he.jpg


For Radarimages of the past 24 hours including mosaic of images:


http://ddgmui.imd.gov.in/dwr img/


Satellite sounder based T- Phigram


http://satellite.imd.gov.in/map skm2.html














		Realized weather past 24hours (Ba	ased on SYNERGIE	Products)	
Date	Time of Reporting	Name of Station Reporting	Region	STATE	Weather Event
14-05-17	0600UTC	Bajpe	S India	Karnataka	Thunderstorm
	0900UTC	Bhaderwah	NW India	J&K	Thunderstorm
15-05-17		Shillong	NE India	Meghalaya	Thunderstorm
		Banihal, Kukernag, Batote	NW India	J&K	Thunderstorm
15-05-17	1200UTC	Keonjhargarh	E India	Odisha	Thunderstorm
		Guwahati	NE India	Assam	Thunderstorm
15-05-17	1500UTC	Bengaluru	S India	Karnataka	Thunderstorm
15-05-17	1500010	Patna	E India	Bihar	Lightening
		Bhagalpur, Purnea	E India	Bihar	Thunderstorm
		Malda	E India	West Bengal	Lightening
		Digha	E India	West Bengal	Thunderstorm
		Balasore, Chandbali	E India	Odisha	Thunderstorm
		Tezpur, North Lakhimpur	NE India	Assam	Lightening
45.05.47	1800UTC	Malda	E India	West Bengal	Thunderstorm
15-05-17		Chandbali	E India	Odisha	Lightening
		North Lakhimpur	NE India	Assam	Thunderstorm
		Agartala	NE India	Tripura	Thunderstorm
15-05-17	040011TO	Amritsar	NW India	Punjab	Thunderstorm
	2100UTC	Ganganagar	NW India	Rajasthan	Thunderstorm
		Ramagundam	S India	Telangana	Thunderstorm
		Agartala	NE India	Tripura	Thunderstorm
16-05-17	000011TC	Amritsar	NW India	Punjab	Thunderstorm
	0000UTC	Digha	E India	West Bengal	Thunderstorm
16-05-17	0300 UTC	Amritsar, Ludhiana	NW India	Punjab	Thunderstorm

## Past 24 hours DWR Report:

Radar Station name	Date of Reportin g	Time interval of observation (UTC)	Organization of the cells (Isolated single cells/multiple cells/ convective regions/ squall lines) with height of 20 dBZ echo top and maximum reflectivity	Formation w.r.t radar station and Direction of movement	Remarks	Associated severe weather if any	Districts affected
Jaipur	16-05-17	151222- 151232	Single cell with average height of 5.0 km maximum reflectivity 31.0 dBZ	Cell develop 1222 to 1232 UTC towards north west of Jaipur .No movement was seen.	Cell continuous forming from 1222 UTC NW of Jaipur and maximum reflectivity during 1232 and died down at 1232 UTC.		Churu, Bikaner
Patiala	16-05-17	150302- 150902	NO ECHO				
		150902- 151202	Multiple cells Max= 57.0 dBz Ht.=10-14km	Formation in NE and NW sectors, movement NE wards			ZIRA, NAKODAR,ADAM PUR,JALABDHAR ,LUDHIANA, TARNTARAN
		151202- 151502	Multiple cells Max= 54.5 dBz Ht.=8-12 km	Formation in NE,SW sectors . movement NE-WARDS			PATRAN,MOGA,P ALAMPUR, MUSSORIE
		151502- 151802	Multiple cells Max= 37.0 dBz Ht.=8-9 km	Formation in SW sector,movement E wards			ELANABAD,FATH EBAD,SIRSA
		151802- 152102	Multiple cells Max= 46.5 dBz Ht.=9-11 km	Formation in SW,NW sectors ,movement NEwards			TARNTARAN,AMR ITSAR,PATTI,MAN SA,DHURI
		152102- 160002	Multiple cells Max= 41.0 dBz Ht.=9-10km	Formation in SW,NW sectors ,movement NEwards			DHURI,AMRITSAR ,SANGRUR

		160002- 160252	Multiple cells Max= 42.5 dBz Ht.=8-10km	Formation in SW,NW sectors ,movement NE wards			BATHINDA,BARN ALA,HALWARA
Nagpur	16-05-17	151122- 151522	Multiple	Distributed in NW ranging from 0 to 150 & in N ranging from 0-100 km, Moving SE'ly	36 dBZ & ht of cloud 2.3-6.5 km & for rest ht. varies from 2 to 7 km in NW 39 dBZ & ht. of cloud=2-5.8 & for rest 1-7 km in N At 1212 in N dir. Max Z=42 & ht. of cloud =1.2-3.6 & for rest 1.2 to 6.5 km In NW dir. Max Z=39 &		
		151822- 151952	Single	220 km S	ht. of cloud =2-7 km & for rest 1.8 to 7km		
		151952 160212	Multiple	170 km in ESE, moving SE'ly & covering SE region	23 dBZ & ht of cloud=5-7km  32 dBZ & ht. of cloud=3-5 km		
		160002- 160302	nil				
Machilipatnam	16-05-17	151221- 151331	Isolated Multiple cells average height of 8.75 km with maximum reflectivity of 56.0dBZ	WSW(114KM) and moving SW ly direction with average speed of 10 kmph	Cell started forming at 1221UTC, at WSW (122km) from Radar the maximum reflectivity during 1241 to 1311 UTC and died down at 1331UTC	Possibility of Thunder storm with rain and light winds.	Ongole District
Paradeep	16-05-17	150900- 151700	Isolated cells formed with reflectivity values ranging between 38-46 dBZ and av. Heights of 8kms. Cells later transform into convective regions with reflectivity values reaching upto 50 dBZ.	Position: Lat:22 degree Lon:86 degree	NIL	TS with rain	Keonjhar Baripada, Bhadrak, Jajpur, and Deogarh <mark>.</mark>

Agartala	16-05-17	150300 - 150720	Multi cell with Maximum Height 14km and maximum reflectivity 41 dBZ (at 0330 UTC over South Tripura)	Formed 210km NW of DWR AGT at 1430 UTC of 14.05.17 and moved ESE wards at around 40 kmph	Cells Dissipated at 0720 UTC over Mizoram & Bangladesh	TS with rain	Mamit District of Mizoram Sipahijala, South, Gomati districts of Tripura
		150510 - 151700	Multi cell with Maximum Height 13km and maximum reflectivity 48 dBZ (at 1020 UTC over Central Assam)	Cells continuously formed one after another 200 km NNW of DWR AGT at 0510 and moved NE-wards at around 20 kmph	Cells Dissipated at 1700 UTC over East Meghalaya & Central Assam	N/A	N/A
		150930 - 152220	Squall line with Maximum Height 14km and maximum reflectivity 47 dBZ (at 1650 UTC over Bangladesh-40km west of DWR AGT)	Formed 450km NW of DWR AGT at 0930 UTC and moved ESE- wards at around 60 kmph	Cells Dissipated at 2220 UTC over Mizoram & Manipur	TS with light/ moderate rain	All districts of Tripura
		151240 - 160100	Squall line with Maximum Height 15km and maximum reflectivity 49 dBZ (at 1840 UTC over Bangladesh-120km WSW of DWR AGT)	Formed 500km NW of DWR AGT at 1240 UTC and moved SE- wards at around 70 kmph	Cells Dissipated at 0100 UTC over Mizoram & South Bangladesh	TS with light/ moderate rain	All districts of Tripura
		152230 - 160300	Multi cell with Maximum Height 10 km and maximum reflectivity 45 dBZ (at 0050 UTC over Bangladesh-180km WNW of DWR AGT)	Formed 450 km WNW of DWR AGT at 2230 UTC and moved SE- wards at around 80 kmph	Cells Dissipated at 0300 UTC over Sipahijala district of Tripura	N/A	N/A
		150300 - 150720	Multi cell with Maximum Height 14km and maximum reflectivity 41 dBZ (at 0330 UTC over South Tripura)	Formed 210km NW of DWR AGT at 1430 UTC of 14.05.17 and moved ESE wards at around 40 kmph	Cells Dissipated at 0720 UTC over Mizoram & Bangladesh	TS with rain	Mamit District of Mizoram Sipahijala, South, Gomati districts of Tripura

Kolkata	16-05-17	150301- 150751	NIL	NIL	NO SIG ECHO	NIL	Nil
		150801- 150941	1) A cells with maximum reflectivity of 64.0 dBz at 0921 UTC and maximum height of 20.06Km at 0921 UTC	WNW (244.7 km) Moving in SE-ly direction with speed of 36 kmph.	A cells formed at 0801 UTC in WNW at a distance of 244.7 km from radar. Matured, Merged with cell No. 2 at 0942 UTC in SW at a distance of 218.4 km from Radar	Thunderstorm Hail/ Rain	NA
			2) A cells with maximum reflectivity of 59.5 dBz at 0901 UTC and maximum height of 14.22Km at 0901 UTC	WNW (243.4 km) Moving in SE-ly direction with speed of 18 kmph.	A cells formed at 0801 UTC in WNW at a distance of 243.4 km from radar. Matured, Merged with cell No. 1 at 0942 UTC in SW at a distance of 218.4 km from Radar	Thunderstorm Hail/ Rain	NA
		150821 - 151331	3) A cells with maximum reflectivity of 66.0 dBz at 0911 UTC and maximum height of 19.19Km at 0911 UTC	NW (250 km) Moving in SE-ly direction with speed of 52 kmph.	A cells formed at 0821 UTC in NW at a distance of 250 km from radar. Matured, Merged with cell No. 1 &2 at 1031 UTC in SW at a distance of 195.5 km from Radar and dissipated at 1331 UTC	Thunderstorm Hail/ Rain	NA
		151021 - 151141	3) cells with maximum reflectivity of 63.50 dBz at 1051 UTC and maximum height of 13.26 Km at 1051 UTC	NW (248 km) Moving in SE-ly direction with speed of 68 kmph.	A cell formed at 1021 UTC in NW at a distance of 248 km from radar. Matured, dissipated at 1141 UTC in NW at a distance of 167.1 km from Radar	Thunderstorm Hail/ Rain	NA

		151350 - 152101	3) Isolated cells with position 25.669 deg N / 86.564 deg E, 332.8 deg / 389.4 km with maximum reflectivity of 58.50 dBz at 1622 UTC and maximum height of 17.37 Km at 1622 UTC	NNW (389 km) Moving in SE-ly direction	A cell formed at 1350 UTC in NNW at a distance of 389 km from radar. Matured to Multiple cells and dissipated at 2101 UTC	Thunderstorm Hail/ Rain	NA
		152221 - 160211	3) Isolated celL with position 22.160 deg N / 86.577 deg E, 25.1 deg / 187.5 km with maximum reflectivity of 55.50 dBz at 2321 UTC and maximum height of 11.65 Km at 2321 UTC	SW (187 km) Moving in SE-ly direction	A cell formed at 2221 UTC in SW at a distance of 187 km from radar. Matured to Multiple cells and dissipated at 0211 UTC DATED 16.05.2017	Thunderstorm Hail/ Rain	NA
		160221- 160300	NIL	NIL	NO SIG ECHO	NIL	NIL
Patna	16-05-17	150300 - 150710	NIL	NIL	NIL	NIL	NIL
		150710 - 150830	Single Cell.  Maximum Reflectivity : 49.5 dBZ  Echo Top: 11.6 KM	Range: 135 km North from DWR Patna Movement-South- Easterly	Warning E-mail and Fax sent to State Disaster management Authority and Concern DMs	NIL	SHEOHAR, SITAMARHI
		150830 - 151030	NIL	NIL	NIL	NIL	NIL
		151030 - 151630	Multiple Cells.  Maximum Reflectivity : 47 dBZ Echo Top: 14 KM,  Multiple Cells.  Maximum Reflectivity : 56 dBZ	Range: 225 km NW from DWR Patna Movement-South- Easterly, Range: 145 km NE from DWR Patna	Warning E-mail and Fax sent to State Disaster management Authority and Concern DMs	Thunderstorm with Rain	WEST CHAMPARAN, EAST CHAMPARAN, GOPALGANJ, SHEOHAR, SITAMARHI, MADHEPURA,

			Echo Top : 14 KM	Movement-South- Easterly  Note: Both cells merged.			PURNIA, SAHARSA, BEGUSARAI, MADHUBANI, DHARBHANGA, MUZAFFARPUR,S AMASTIPUR, SUPAUL, KHAGARIA, LAKHISARAI, MUNGER, BHGALPUR, JAMUI, BANKA, VAISHALI, ARARIA, KHAGARIA, KHAGARIA, KHAGARIA
		151630 - 160300	NIL	NIL	NIL	NIL	NIL
Hyderabad	16-05-17	151222- 151452	isolated cells with an average height of 9 Km with a max reflectivity of 53.5 dBZ	SE (222 Kms) moving in SE- ly Direction at a speed of approx 6.0 kmph	Cells started forming at 1222 utc. Matured between 1342 and 1442 with max ref of 51 dBz at 1402 and dissipated by 1452 UTC	Moderate Thunderstorm with or without rain	Nalgonda, Nagar, Karnool Districts.
		151702 - 152322	Scattered cells with an average height of 9 Km with a max reflectivity of 50.5 dBZ	NW (90 Kms) moving in SW- ly Direction at a speed of approx 10.0 kmph	Cells started forming at 1842 utc. Matured between 1952 & 2022 with max ref of 41.5 dBz and dissipated By 2102 UTC	Moderate Thunderstorm with or without rain	Nizamabad, kamareddy & Medak
Lucknow	16-05-17	150300- 16030	Nil	Nil	Nil		
Karaikal	16-05-17	150300- 160300			DWR U/S		



