

List of Research Publications (2005 to 2014)

Year 2014

2014

Das, A.K., Y.V. Rama Rao, Vijay Tallapragada, Zhan Zhang, S.K. Roy Bhowmik, Arun Sharma (2015): Evaluation of the Hurricane Weather Research and Forecasting (HWRF) model for tropical cyclone forecasts over North Indian Ocean (NIO), *Natural Hazards*, September 2014 (DOI: 10.1007/s11069-014-1362-6)

Year 2013

[74] Durai V R and Roy Bhowmik S K, **2013**, Prediction of Inc monsoon in short to medium range time scale with high resolution global forecast system (GFS) T574 and T382, accepted to appear in **Climate Dynamics** DOI: 10.1007/s00382-013-1895-5

[73] Kotal, S.D. and Bhattacharya S.K. **2013**. Tropical Cyclone Genesis Potential Parameter (GPP) and its application over the North Indian Sea. **Mausam**, **64(1)**:149-170.

[72] Sankar Nath, Kotal, S.D. and Kundu, P.K. **2013**. Analysis of a Genesis Potential Parameter during pre-cyclone watch period over the Bay of Bengal. **Natural Hazards (Springer)** **65**:2253-2265.

[71] Kotal S.D., Bhattacharya S, Roy Bhowmik SK and Kundu P, **2013**, The Rapid Growth and Decay of Severe Cyclone JAL (2010) over the Bay of Bengal, 2013, **Meteorology and Atmospheric Physics**, **121(3-4)**, 161-179

[70] Kotal SD and Roy Bhowmik S.K., 2013, Large scale Characteristics of rapidly intensifying Tropical Cyclones over the Bay of Bengal and rapid intensification Index, 2013, **Mausam**, 64(1), 13-24

[69] Laskar SI, Roy Bhowmik S.K. and Sinha V, 2013, Some statistical characteristics of occurrence of Fog over Patna Airport, **Mausam**, 64(2), 345-350

Year 2012

[68] Sen Roy Soma, Saha SB, Fatima H, Roy Bhowmik SK and Kundu PK, 2012, Evaluation of short period rainfall estimates from Kalpana 1 Satellite using MET software, **J. Earth Syst. Sci**, **121(5)**,1113-1123

[67] Anupam Kumar, Roy Bhowmik SK and Das Ananda Kr., 2012, Implementation of Polar WRF for Maitri region in Antarctica, **J. Earth Syst. Sci**, **121(5)**,1125-1143

[66] Roy Bhowmik SK and Durai VR, **2012**, Development of multi-model ensemble based district level medium range rainfall forecast system for Indian region”, **Journal of Earth system Science**, **121(2)**, 273-285.

[65] Kuldeep Srivastava, Lau Y, Yeng, HY, Cheng TL, Bharadwaj, R, Kannan AM, Roy Bhowmik SK, Singh, H., **2012**, Use of SWIRLS Nowcasting System for Quantitative Precipitation Forecast using Indian DWR data, **Mausam**, 63(1), 1-16.

[64] Rama Rao, Y.V., Lyndon Alves, Bhaleka Seulall, Ziona Mitchell, Kelvin Samaroo and Garvin Cummings (2012): Evaluation of the Weather Research and Forecasting (WRF) model over Guyana, **Natural Hazards**, Vol.61, No.3, pp.1243-1261.

Year 2011

[63] Sen Roy Soma and Shouraseni Sen Roy, **2011**: Regional variability of convection over northern India during the pre-monsoon season, **Theoretical and Applied Climatology**, **103**, 145–15812

[62] Kotal S.D. and Roy Bhowmik SK, **2011**, A multi-model ensemble (MME) technique for cyclone track prediction over the North Indian Sea, **Geofizika**, **28**, 275-291

[61] Rathore LS, Roy Bhowmik SK and Chattopadhaya, N, 2011, Integrated Agro-advisory Services of India, Challenges and opportunities of Agro-meteorology, 195-205 (Spinger publication)

[60] Roy Bhowmik sk, Kumar Anupam and Das Ananda K, 2011, Real-time meso-scale modeling for short range prediction of weather over Maitri region in Antarctica, **Mausam**, 62, 535-546

[59] Duraiswamy, Roy Bhowmik SK and Bandyopadhaya, BK, 20011, An objective method for predicting occurrence of pre-monsoon thunderstorm events over Delhi using stability indices, **Mausam**, 62, 329-358

[58] Kotal SD, Tyagi Ajit and Roy Bhowmik S.K., 2011, Potential vorticity diagnosis of rapid intensification of very severe cyclone Giri (2010) over the Bay of Bengal, **Natural Hazards**, online DOI 10.1007/s/11069-011-0024-1

[57] Kuldeep Srivastava, Bhardwaj Rashmi and Roy Bhowmik SK, 2011, Assimilation of Indian Doppler Weather Radar observation for simulation of meso-scale features of a land-falling cyclone, **Natural Hazards**, 59, 1339-1355

[56] Roy Bhowmik SK, Sen Roy Soma, Srivastava K, Mukhopadhaya B., . Thampi SB, Reddy YK, Singh Hari, Venkateswarlu S and Adhikary Saurav, 2011, Processing of Indian Doppler Weather Radar data for meso-scale applications, **Meteorol. Atmos Phy**, 111, 134-147

[55] Srivastava Kuldeep, Gao Jidong, Brewster K Roy Bhowmik S.K. Xue Ming AND Gadi Ranu, Assimilation of Indian radar data with ADAS and 3DVAR techniques for simulation of a small scale tropical cyclone using ARPS model, **Natural Hazards**, 58, 15-29.

[54] Pattanaik, D.R., Anupam Kumar, Rama Rao, Y.V, Mukhopadhyay, B (2011) Simulation of monsoon depression over India using high resolution WRF Model – Sensitivity to convective parameterization schemes, **Mausam**, 62, 3 (July 2011), 305-320

Year 2010

[53] Roy Bhowmik S.K. and Kotal S.D. 2010, A dynamical statistical model for prediction of a tropical cyclone, **Marine Geodesy**, 33, 412-425

[52] Anil Kumar, Dudhia J and Roy Bhowmik, S.K., 2010, Evaluation of Physics options of the Weather Research and Forecasting (WRF) Model to simulate high impact heavy rainfall events over Indian Monsoon region, **Geofizika**, 27, 101-125

[51] Mitra AK, Kundu PK, Sharma AK and Roy Bhowmik SK, 2010, A neural network approach for temperature retrieval from AMSU – A measurement onboard NOAA 15 and NOAA 16 satellites and a case study during Gonu Cyclone, 2010, **Atmosfera**, 23, 225-239

[50] Mitra AK, Kundu PK, Sharma AK and Roy Bhowmik SK, 2010, A quantitative assessment of KALPANA 1 derived water vapour winds and their improvement from the use of NCEP first guess forecast fields, **Mausam**, 61, 525-536

[49] Durai V.R., Roy Bhowmik S.K. and Mukhopadhaya B., 2010, Evaluation of Indian summer monsoon rainfall features using TRIMM and Kalpana 1 derived precipitation and rain-gauge observations, **Mausam**, 61, 317-336

[48] Durai V.R., Roy Bhowmik S.K. and Mukhopadhaya B., 2010, Performance Evaluation of NCEP GFS Forecast System, **Mausam**, **61**, 139-254

[47] Roy Bhowmik S.K. and Durai V.R., 2010, Application of multi-model ensemble technique for real-time district level forecasts over Indian region in short range time scale, **Meteorol. Atmos. Phy.**, 106, 19-35

[46] Srivastava Kuldeep, Roy Bhowmik, S.K., Sen Roy, S., Thampi S.B. and Reddy Y.K., 2010, Simulation of high impact convective events over Indian region by ARPS model with assimilation of Doppler Weather Radar radial velocity and reflectivity, **Atmosfera**, 23, 53-74

[45] Kotal, S.D., Roy Bhowmik, S.K. and Mukhopadhaya, B., 2010, Real-time forecasting of the Bay of Bengal Cyclonic Storm "RASMI" of October 2008 – A statistical dynamical approach, **Mausam**, **61**, 1-10

[44] Sen Roy Soma, Roy Bhowmik, SK, Lakshmanan, V, and Thampi S.B., 2010, Doppler Radar-based Nowcasting of the Bay of Bengal Cyclone – Ogn of October 2006, **J. Earth SCI. Sys**, 119(2), 183-199

[43] Rama Rao, Y.V., A. Madhu Latha and P. Suneetha (2010): Evaluation of the WRF and Quasi-Lagrangian Model (QLM) for Cyclone Track Prediction Over Bay of Bengal and Arabian Sea, Yassine Charabi (ed.), *'Indian Ocean Tropical Cyclones and Climate Change'*, DOI 10.1007/978-90-481-3109-9_14, **Springer's publication**, 2010, Part-III, pp.105-114.

Year 2009

[42] Roy Bhowmik S.K., Shakar Nath, Mitra, A and Hatwar, H.R., 2009, Application of neural network technique to improve the location specific forecast of Delhi from MM5 Model **Mausam**, **60**, 11-24

[41] Srivastava Kuldeep, Roy Bhowmik S. K., Hatwar H.R., 2009, Evaluation of different Convective schemes on simulation of thunderstorm event over Delhi by ARPS Model, **Mausam**, **60(2)**, 123-136

[40] Kotal, S.D., Kundu P.K. and Roy Bhowmik S.K., 2009, An analysis of cyclogenesis parameter for developing and non-developing low pressure systems over the Indian Sea, **Natural Hazards**, 50, 389-402

[39] Kotal, S.D., Kundu P.K. and Roy Bhowmik S.K. , **2009**, An analysis of Sea Surface Temperature and Maximum Potential Intensity of Tropical Cyclone over the Bay of Bengal, **Met Application**, 16,169-177

[38] Pattanaik, D.R., and Rama Rao, Y. V (2009): Track prediction of very severe cyclone 'Nargis' using high resolution weather research forecasting (WRF) model, *J. Earth Syst. Sci.* **118**, No. 4, August 2009, pp. 309–329

Year 2008

[37] . Roy Bhowmik, S.K. and Prasad K, **2008** “Improving IMD operational limited area model forecasts” , **Geofizika**, **25(2)**, 87-108

[36] Roy Bhowmik S.K. and V.R. Durai, **2008**, “Multi-model Ensemble Forecasting of rainfall over Indian monsoon region”, **Atmosfera** , **21(3)**, 225-239

[35] Roy Bhowmik S.K., Sen Roy S and Kundu, S.K., **2008**, An analysis of large scale conditions associated with convection over Indian monsoon region, **Int. J. Clim (U.K.)**, **28**,797-821

[34] Nath Sankar, A.K Mitra and Roy Bhowmik, S.K., **2008**, Applying Artificial Neural Network technique to improve INSAT derived Quantitative Precipitation Estimates over Indian region, **Geofizika**, **25(1)**, 42-51

[33] Kotal, S.D., Roy Bhowmik S.K.. P.K. Kundu and Das Ananda K., **2008**, A Statistical Model for Cyclone Intensity Prediction, **Earth Sc. System**, **117(2)**, 157-168

[32] Kotal, S.D., Roy Bhowmik S.K. and Kundu Prabir, **2008**, “Application of Statistical - Dynamical scheme for real time forecasting of the Bay of Bengal very severe cyclonic storm SIDR of November 2007”, **Geofizika**, **25 (2)**, 139-158

[31] Srivastava Kuldip, Roy Bhowmik, S.K., Hatwar, H.R. Ananda K. Das and Kumar Awadsesh, **2008**, “ Simulation of mesoscale structure of thunderstorm using ARPS model, **Mausam**, **59 (1)**, 1-14

[30] Geeta Agnihotri, Rama Rao, Y.V., Dash, S.K. (2008) Impact of various synthetic vortices on cyclone track prediction, *Natural Hazards*, Vol.47, No.3, pp.437-463

[29] Pattanaik, D.R., Mohanty, U.C., Hatwar, H.R., Srinivasan, G., Rama Rao, Y.V., Sinha, P., and Brookshaw, A., (2008) Simulation of maximum surface air temperature over India using the UK Met Office Global Seasonal (GloSea) Model by, *Theoretical and Applied Climatology*, Volume 92, No. 3-4/May 2008.

Year 2007

[28] Roy Bhowmik S.K., Joardar, D. and Hatwar H.R. 2007, An evaluation of precipitation prediction skill of IMD operational NWP system, *Meteorol Atmos Phy*, **95(3)**, 205-221

[27] Roy Bhowmik S.K. and Das Ananda K., 2007, Rainfall Analysis for Indian monsoon region from merged dense raingauge observations and satellite estimates – Evaluation of monsoon rainfall features, *Journal of Earth System Science System*, **116(3)**, 187-198

[26] Duria V.R., Roy Bhowmik, S.K. and Hatwar H.R., 2007 “ Distribution of precipitable water contents over Indian monsoon region, *Mausam*, **58(2)**, 241-250

[25] Das Ananda .K., Mohanti U.C. and Roy Bhowmik, S.K., 2007, Signature of Quasi Biennial Oscillation and long period equatorial disturbance in the lower atmosphere over Thiruvananthapuram, *Meteorology and Atmos Phy*, **98(1-2)**, 125-136

[24] Roy Bhowmik S.K., Kotal, S.D. and Kalsi S.R, 2007. Operational tropical cyclone intensity prediction - an empirical technique. *Natural Hazards (Springer)* **41**:447-455.

[23] Rama Rao, Y.V., H.R. Hatwar, Ahmad Kamal Salah, Y. Sudhakar (2007) An Experiment Using the High Resolution Eta and WRF Models to Forecast Heavy Precipitation over India , *Pure and Applied Geophysics*, Volume 164, Numbers 8-9, pp. 1593-1615.

Year 2006

[22] Naresh Kumar, Naseem Ahmed and Roy Bhowmik, **2006**, A study associated with critical level resonance in 2D flow over isolated ridge, **Siberian Electronic Mathematical Reports**, 3, 161-168

[36] Roy Bhowmik, S.K., Kotal, S.D. and Kalsi, S.R., **2006**, Operational Forecasting of tropical cyclone intensity – An empirical technique, **Natural Hazards**, **41(3)**, 447-455

[21] Naresh Kumar, Ahmed Naseem, Roy Bhowmik, S.K. and Hatwar H.R., **2006**, Mountain drag across orographic barrier, **Mausam**, 57, 591-596

[20] Roy Bhowmik, S.K. and Sen Roy S., **2006**, Principal component analysis to study spatial variation of errors of INSAT derived rainfall estimates over Indian region, **Atmosfera**, **19 (4)**, 255-265

[19] Roy Bhowmik, S.K., Joardar, D, Das, Ananda .K., Rama Rao Y.V and Hatwar H.R., **2006**, Impact of KALPANA-1 CMV data in the analysis and forecast of IMD operational NWP system, **Mausam**, **57**, 319-331

[18] Lal, B., Singh, O.P., Prasad, O., Roy Bhowmik, S.K., Kalsi, S.R. and Subramanian, S.K., **2006**, District Level value added dynamical Ensemble Forecast, **Mausam**, **57**, 209-220

[17] Prasad, K and Rama Rao, Y.V (2006) Simulation Studies on Cyclone Track Prediction by Quasi-Lagrangian Model (QLM) in Some Historical and Recent Cases in the Bay of Bengal, Using Global Re-analysis and Forecast Grid Point Data Sets, **SMRC Report No. 15**, SAARC Meteorological Research Centre, Dhaka, Bangladesh.

[16] Rama Rao, Y.V., H.R. Hatwar and Geeta Agnihotri (2006) Tropical Cyclones Prediction by Numerical Models in India Meteorological Department, , **Mausam**, Vol.57, No.1, pp.47-60

Year 2005

[15] Roy Bhowmik S.K., Joardar D. and Das Ananda K., **2005**, Radius of influence of rainfall over Indian monsoon region, **Geofizika**, **22**, 131-141

[14] Naresh Kumar, Roy Bhowmik, S.K., Ahmed Naseem and Hatwar H.R., **2005**, A mathematical model for rotating airflow across Khasi-Jaintia hill, **Mausam**, 56, 771-778

[13] Roy Bhowmik, S. K., Joardar D. and Sen Roy Soma, Hatwar, H.R., 2005, Meso scale features of monsoon precipitation system as revealed by the objective analysis of rainfall from the use of high dense land rainfall observation, **Mausam**, 56, 543-548

[12] Kotal, S.D., *Roy Bhowmik S.K.* and others, 2005, Some upper air circulation and thermal features in relation to onset over Kerala, **Mausam**, 56, 481- 483

[11] Roy Bhowmik S.K., Joardar D. Rama Rao Y.V. and Hatwar H.R., 2005, Initialization of monsoon onset vortex from the use of MSMR wind data, **Mausam**, 56, 477- 480

[10] Rama Rao Y.V., Kar, S.C., Vijay Kumar S.V., Kalsi S.R. Hatwar, H.R. and Roy Bhowmik, S.K., 2005, Improvement in the weather prediction over Indian region using regional spectral model, **Mausam**, 56, 343-356

[9] Roy Bhowmik S.K, Kotal S.D. and Kalsi S.R., 2005, An empirical model for predicting decaying rate of tropical cyclone wind speed after landfall over Indian region, **J. Appl. Met**, 44, 179-185

[8] Hatwar, H.R. Rama Rao, Y.V., Roy Bhowmik S.K., Joardar, D. and Agnihotri, G., 2005, Impact of ARMEX data in the analysis and forecast of IMD operational NWP model, **Mausam** ,56, 131-138

[7] Sen Roy Soma and Roy Bhowmik, SK, 2005, Analysis of thermodynamic of the atmosphere over north west India during passage of western disturbances as revealed by model analysis field, **Current Science**, 88(6), 49-53

[6].Rama Rao, Y.V. and Prasad, K (2005) Further evaluation of the Quasi-Lagrangian Model for Cyclone Track Prediction in the North Indian Ocean, **SMRC Report No. 12**, SAARC Meteorological Research Centre, Dhaka, Bangladesh.

[5].Rama Rao, Y.V., S.C. Kar, T.S.V. Vijaya Kumar, S.R. Kalsi, H.R. Hatwar and S.K. Roy Bhowmik (2005) Improvements in the weather prediction over the Indian region using Regional Spectral Model, **Mausam**, Vol.56, No.2, pp.343-356, April 2005.

[4].Devendra Singh, Rama Rao, Y.V, Bhatia, R.C., Sant Prasad and Mukherji, S.K (2005) Operational use of improved profiles by using neural network technique

derived from NOAA satellite microwave data in NWP model over Indian region, ***Mausam***, Vol.56, No.2, pp.357-366.

[3].Hatwar, H.R. Rama Rao, Y.V, S.K. Roy Bhowmik, D. Joardar and Geeta Agnihotri,(2005) An impact of ARMEX data on limited area model analysis and forecast system in India Meteorological Department – A preliminary study, ***Mausam***, Vol.56,No.1,pp.131-138,Jan. 2005.

[2].Hatwar, H.R., B.P.Yadav and Rama Rao, Y.V (2005) Prediction of Western Disturbances and associated weather over Western Himalayas by, ***Current Science***, Vol.88, No.6, pp.913-920.

[1].Sen Roy Soma, R. K. Datta, R. C. Bhatia and A. K. Sharma, **2005**: Drop Size Distributions of tropical rain over South India., ***Geofizika***, **22**,105-130